





INX2730SQB-700-2
30" Insert Hood - MSRP: \$959.00




Model		INX2730SQB-700-2
Features		
Controls	Mechanical push buttons (5)	
Lighting	2, 3W LED Lamps (Bulbs included)	
Blower Type	750 CFM, 3-Speed	
Blower Performance	Speed 1, 300 CFM, 1.0 sones	
	Speed 2, 440 CFM, 2.0 Sones	
	Speed 3, 750 CFM, 5.6 Sones	
Filter Type	Baffle filters (dishwasher-safe)	
Ducting	Ducted	
Duct Transition	6" Round (Top)	
Exterior Appearance		
Stainless Steel grade	430 18-Gauge Satin Finish #4	
Electrical Requirements		
Electrical requirements	120V / 60 Hz / 120W , 3.3 AMP	
Dimensions		
Dimensions	27 9/16" (W) x 11 1/4" (D) x 10 3/8" (H)	
Accessories (optional)		
36" Stainless Steel Inner Coating	INL36211A 34 3/8" x 21" x 2"	
Warranty		
1-year Warranty	Labour, in-home service	
2-year Warranty	Parts, in-home service	

Dimensions



Installation




Cutout



A	Floor to ceiling Height	TBD
B	Floor to counter Top Height (standard)	36"
C	Recommended Height between cooking surface and bottom of the hood	27" min. - 30" max
D	Wood frame	TBD

Duct transition

6" Round (Top)



The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice

Stainless Steel Liner Dimensions

Stainless Steel Liner (Sold Separately)
Model No. INL36211A

