

KSEU912X

90 CM (approx. 36"), Ventilation Hood,
Stainless Steel

EAN13: 8017709207441

Flat design

Digital (LED) electronic display with touch control panel

Wall mounted ventilation hood

High quality stainless steel and glass

1 motor

Vented or recirculating

4 speeds

3 halogen lights (3x20W)

3 dishwasher-safe stainless steel grease filters

Light dimmer switch

Power boost mode (10 minutes)

Automatic switch off (30 minute timer)

Filter cleaning/replacement indicator

600 CFM max. setting

Vent duct size Ø 6"

Voltage rating 120V/60Hz/4Amps

Power: 333W



Functions



Options

- **KITFC161** - Charcoal filter
- **KITSMNKSM** - Chimney extension
- **KITREDCFM** - CFM reducer



Touch controls:

Touch control panel, all options selected at the touch of a fingertip.



Intensive/turbo setting:

when extra fast extraction is required



Switch off automatically:

A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Warning light(s):

to advise when filters need changing




Electronic display:

to give a visual reminder of the options selected.



KSEU912X

wall mounted ventilation hood
36"
stainless steel



SMEG U.S.A. INC.
A&D BUILDING
150 EAST 58th STREET, 7th FLOOR
NEW YORK, NY, 10155
Tel. +1 212 265 5378
Fax +1 212 265 5945