



## PRODUCT GUIDE **2018**



## INDEX

### FREESTANDING RANGES

<b>NEW</b>	Gas Ranges - Professional / Master	3 - 4 - 5
<b>NEW</b>	Dual Fuel Ranges - Professional / Master	6 - 7
<b>NEW</b>	Induction Ranges - Professional / Master	8 - 9
	Gas Ranges - Heritage	10

### BUILT-IN OVENS & SPECIALTY

Electric Ovens - Professional / Master	11 - 12
Speed Ovens - Professional / Master	12
Steam Ovens - Professional / Master	13
Microwave Hoods (over-the-range)	13
Warming Drawers - Professional / Master	13

### COOKTOPS

Gas Rangetops	14
Gas Cooktops	14 - 15
Segmented Cooktops	16
Induction Cooktops	17
Electric Cooktops	17

### REFRIGERATION

French door Refrigerators	18
Built-in Bottom Mount Refrigerators	19 - 20
Freestanding Refrigerators	21

### CLEAN UP

Built-in Dishwashers	22
----------------------	----

### VENTILATION

Undermount Canopy Hoods	23
Inserts Hoods & Downdrafts	24
Wallmount Hoods	24 - 25

### ACCESSORIES

Duct Covers and Recirculation Kits	26
Baffle, Mesh and Charcoal Filters	27
Backsplashes, Toekick Panels, Side Trims and backguards	28
Telescopic Shelves, Trays, Simmer/Wok/Griddle Plates	29
Ventilation Accessory Guide Matrix	30
Bertazzoni Color Options	31

## TWO YEAR LIMITED WARRANTY

Bertazzoni SpA will repair or replace any component part which fails or proves defective due to materials and/or workmanship within 2 years from the date of installation and under conditions of normal residential use. Repair or replacement will be free of charge, including labor at standard rates and shipping expenses. Repair service must be performed by a Bertazzoni Authorized Service Center during normal working hours. Cosmetic damages must be reported no later than 30 days after installation. This warranty does not cover the use of the product in any commercial application.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**

PROFESSIONAL &  
MASTER SERIES

ALL GAS RANGES

**NEW**



MAST486GGASBIE



PROF366GASGIT



PROF304GASART



MAS244GASXE

**48" ALL-GAS RANGE**

- Stainless steel electric griddle and cover (1100W)
- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 4.7 cu.ft gas main oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- 2.4 cu.ft auxiliary gas oven (including 2 wire shelves, 1 set of telescopic glides)
- Main: Bake element 3500-14000 BTU - Main: Broiler element 9000 BTU - Aux: Bake element 2400-7000 BTU
- Dimensions: **W** 48" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

**36" ALL-GAS RANGE**

- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 5.9 cu.ft gas oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- Bake element 4100-17000 BTU - Broiler element 11000 BTU
- Dimensions: **W** 36" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

**30" ALL-GAS RANGE**

- 1 x 19000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- 4.7 cu.ft gas oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- Bake element 3500-14000 BTU - Broiler element 9000 BTU
- Dimensions: **W** 30" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

**24" ALL-GAS RANGE**

- 1 x 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- 2.4 cu.ft gas oven (including 2 wire shelves, baking tray with grill trivet)
- Bottom flap storage compartment
- Dimensions: **W** 23-15/16" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

**ALL-GAS RANGES - ADDITIONAL FEATURES**

- Counter-deep maintop for flush installation with kitchen countertops and cabinets
- Soft-close oven door with edge-to-edge tempered glass (T models)
- Electric ignition with thermocouple safety device (for gas burners)
- Extra-large high-power infrared gas broiler for broiling and grilling (except 24" model)
- Elegant temperature gauge for control of oven temperature during pre-heating and baking (except 24" model)
- Food temperature probe for accurate roasting + baking (T models only)
- Smooth-glide telescopic racks (except 24" model)
- Fingerprint free stainless steel
- Included accessories: Wok ring (T models only), Simmer ring, 1" stainless steel island trim (except 24" model is 4" backguard)
- Ranges are available in NG (standard) or LP (selected models). A gas conversion kit is included with every range

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

PROFESSIONAL &  
MASTER SERIES

ALL GAS RANGES

**NEW**



PROF486GGASROT



MAST366GASXT



MAST305GASNEE



PRO244GASX

**48" ALL-GAS RANGE**

PROF486GGASXT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASXTLP	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle - LP version
PROF486GGASNET	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASBIT	○	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASGIT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASART	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASROT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
MAST486GGASXT	●	48" Master Series Range - Gas Oven - 6 brass burners + griddle
MAST486GGASXTLP	●	48" Master Series Range - Gas Oven - 6 brass burners + griddle - LP
MAST486GGASXE	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle
MAST486GGASXELP	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle - LP version
MAST486GGASNEE	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle
MAST486GGASBIE	○	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle

**36" ALL-GAS RANGE**

PROF366GASXT	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASXTLP	●	36" Professional Series Range - Gas oven - 6 brass burners - LP version
PROF366GASNET	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASBIT	○	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASGIT	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASART	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASROT	●	36" Professional Series Range - Gas oven - 6 brass burners
MAST366GASXT	●	36" Master Series Range - Gas Oven - 6 brass burners
MAST366GASXTLP	●	36" Master Series Range - Gas Oven - 6 brass burners - LP
MAST365GASXE	●	36" Master Series Range - Gas oven - 5 aluminum burners
MAST365GASXELP	●	36" Master Series Range - Gas oven - 5 aluminum burners - LP
MAST365GASNEE	●	36" Master Series Range - Gas oven - 5 aluminum burners
MAST365GASBIE	○	36" Master Series Range - Gas oven - 5 aluminum burners

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27



PROFESSIONAL &  
MASTER SERIES

ALL GAS RANGES

**NEW**



PROF486GGASART



MAST365GASBIE



PROF304GASGIT



MAS244GASXE

**30" ALL-GAS RANGE**

PROF304GASXT	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASXTLP	●	30" Professional Series Range - Gas oven - 4 brass burners - LP version
PROF304GASNET	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASBIT	○	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASGIT	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASART	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASROT	●	30" Professional Series Range - Gas oven - 4 brass burners

MAST305GASXE	●	30" Master Series Range - Gas oven - 5 aluminum burners
MAST305GASXELP	●	30" Master Series Range - Gas oven - 5 aluminum burners - LP
MAST305GASNEE	●	30" Master Series Range - Gas oven - 5 aluminum burners
MAST305GASBIE	○	30" Master Series Range - Gas oven - 5 aluminum burners
MAST304GASXV	●	30" Master Series Range - Gas oven - 4 aluminum burners - Black knobs
MAST304GASXVLP	●	30" Master Series Range - Gas oven - 4 aluminum burners - Black knobs

**24" ALL-GAS RANGE**

PRO244GASX	●	24" Professional Series Range - Gas oven - 4 aluminum burners
PRO244GASXLP	●	24" Professional Series Range - Gas oven - 4 aluminum burners - LP version
MAS244GASXE	●	24" Master Series Range - Gas oven - 4 aluminum burners - Black knobs
MAS244GASXE LP	●	24" Master Series Range - Gas oven - 4 aluminum burners - Black knobs - LP



6 Burner Configuration



Professional Series Knob



Master Series Knob



Master Series Knob

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

PROFESSIONAL &  
MASTER SERIES

DUAL FUEL RANGES

**NEW**



PROF486GDFSNET



MAST366DFSXT



PROF304DFSROT



MAST305DFMBIE



Professional Series Handle



Master Series Handle



Soft-Close Oven Door

**48" DUAL FUEL RANGE**

- Stainless steel electric griddle and cover (1100W)
- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 4.6 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- 2.4 cu.ft auxiliary electric oven (including 2 wire shelves, 1 set of telescopic glides)
- 8-pass electric broiler in main oven with optional convection and 6-pass electric broiler in auxiliary oven
- Bake: Bottom 2100W / 900W - Bake: Top 1400W / 900W - Broiler: 3400W / 2000W - Convection: 2 x 1650W
- Dimensions: W 48" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

**36" DUAL FUEL RANGE**

- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class (1 power burner for DFM models)
- **DFS** Models: 5.7 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **DFM** Models: 5.9 cu.ft main electric oven with dual **horizontal** convection fans on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet)
- 10-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2400W - Bake: Top 1600W - Broiler: 4000W - Convection: 2 x 1650W (DFS models)
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (DFM models)
- Dimensions: W 36" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

**30" DUAL FUEL RANGE**

- 1 x 19000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- **DFS** Models: 4.6 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **DFM** Models: 4.7 cu.ft main electric oven with dual **horizontal** convection fans on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet)
- 8-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2100W - Bake: Top 1400W - Broiler: 3400W - Convection: 2 x 1650W (DFS models)
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (DFM models)
- Dimensions: W 30" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

**DUAL FUEL RANGES - ADDITIONAL FEATURES**

- **DFS** Models Functions (Dual Fuel **Self Clean**):  
Warming/Proofing/Dehydrate - Bake - Convection - Convection Bake - Broil - Convection Broil - Pizza - Clean
- **DFM** Models Functions (Dual Fuel **Manual Clean**):  
Fast preheat - Bake - Bottom Bake - Upper bake - Convection - Convection Bake - Broil - Convection Broil - Pizza
- Electric ignition with thermocouple safety device
- Counter-deep maintop for flush installation with countertops and cabinets
- Fingerprint free stainless steel
- Food temperature probe for accurate roasting + baking (DFS models only)
- Elegant digital gauge for precise control of oven temperature during pre-heating and baking with integrated controls for the temperature probe (DFS models only)
- Soft-close oven door with edge-to-edge tempered glass (DFS models)
- Oven door with edge-to-edge tempered glass (DFM models)
- Included accessories: Wok ring (except DFM models), Simmer ring, 1" stainless steel island trim
- Ranges are available in NG (standard) or LP (selected models). A gas conversion kit is included with every range

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

**PROFESSIONAL &  
MASTER SERIES**
**DUAL FUEL RANGES**
**NEW**
**48" DUAL FUEL RANGE**

PROF486GDFSXT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSNET	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSBIT	○	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSGIT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSART	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSROT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
MAST486GDFSXT	●	48" Master Series Range - Electric self clean oven - 6 brass burners + griddle

**36" DUAL FUEL RANGE**

PROF366DFSXT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSNET	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSBIT	○	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSGIT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSART	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSROT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
MAST366DFSXT	●	36" Master Series Range - Electric self clean oven - 6 brass burners
MAST365DFMXE	●	36" Master Series Range - Electric oven - 5 aluminum burners
MAST365DFMNEE	●	36" Master Series Range - Electric oven - 5 aluminum burners
MAST365DFMBIE	○	36" Master Series Range - Electric oven - 5 aluminum burners

**30" DUAL FUEL RANGE**

PROF304DFSXT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSNET	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSBIT	○	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSGIT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSART	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSROT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
MAST305DFMXE	●	30" Master Series Range - Electric oven - 5 aluminum burners
MAST305DFMNEE	●	30" Master Series Range - Electric oven - 5 aluminum burners
MAST305DFMBIE	○	30" Master Series Range - Electric oven - 5 aluminum burners

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

PROFESSIONAL &  
MASTER SERIES

INDUCTION RANGES

**NEW**



PROF365INSGIT



MAST365INSXT



PROF304INSBIT



MAST304INMXE

**36" INDUCTION RANGE 5 ZONES**

- **INS** Models: 5.7 cu.ft electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **INM** Models: 5.9 cu.ft electric oven with dual **horizontal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet)
- Maintop with 5 latest generation extra-large induction zones and bridging of right-side zones
- 10-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2400W - Bake: Top 1600W - Broiler: 4000W - Convection: 2 x 1650W (INS models)  
Electrical supply: 120/240V 60 Hz -17,000W / 50 Amp
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (INM models)  
Electrical supply: 120/240V 60 Hz -15,000W / 40 Amp
- Dimensions: W 36" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

**30" INDUCTION RANGE 4 ZONES**

- **INS** Models: 4.6 cu.ft electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **INM** Models: 4.7 cu.ft electric oven with dual **horizontal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet)
- Maintop with 4 latest generation extra-large induction zones and bridging of right-side zones
- 8-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2100W - Bake: Top 1400W - Broiler: 3400W - Convection: 2 x 1650W (INS models)  
Electrical supply: 120/240V 60 Hz -13,000W / 40 Amp
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (INM models)  
Electrical supply: 120/240V 60 Hz -11,000W / 40 Amp
- Dimensions: W 30" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

**INDUCTION RANGES - ADDITIONAL FEATURES**

- **INS** Models Functions (**Induction Self Clean**): Warming/Proofing/Dehydrate - Bake - Convection - Convection Bake - Broil - Convection Broil - Pizza - Clean
- **INM** Models Functions (**Induction Manual Clean**): Fast preheat - Bake - Bottom Bake - Upper bake - Convection - Convection Bake - Broil - Convection Broil - Pizza
- Counter-deep maintop for flush installation with countertops and cabinets
- Fingerprint free stainless steel
- Food temperature probe for accurate roasting and baking (INS models only)
- Elegant digital gauge for precise control of oven temperature during pre-heating and baking with integrated controls for the temperature probe (INS models only)
- Soft-close oven door with edge-to-edge tempered glass (INS models)
- Included accessory: 1" stainless steel island trim

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**



PROFESSIONAL &  
MASTER SERIES

INDUCTION RANGES

**NEW**



5 Heating Zone Configuration



Digital Gauge  
(Self Clean Models)



Gauge  
(Manual Clean Models)

**36" INDUCTION RANGE**

PROF365INSXT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSNET	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSBIT	○	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSGIT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSART	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSROT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
<hr/>		
MAST365INSXT	●	36" Master Series Range - Electric self clean oven - 5 induction zones
MAST365INMXE	●	36" Master Series Range - Electric manual clean oven - 5 induction zones

**30" INDUCTION RANGE**

PROF304INSXT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSNET	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSBIT	○	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSGIT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSART	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSROT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
	●	
PROF304INMXE	●	30" Professional Series Range - Electric manual clean oven - 4 induction zones
MAST304INMXE	●	30" Master Series Range - Electric manual clean oven - 4 induction zones

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27

HERITAGE SERIES

ALL GAS RANGES



HER486GGASCR



HER366GGASVI



HER366GGASVI

**48" ALL-GAS RANGE**

HER486GGASNE01	●	48" Heritage Range - Gas Oven - 6 brass burners + griddle
HER486GGASCR01	●	48" Heritage Range - Gas Oven - 6 brass burners + griddle
HER486GGASVI01	●	48" Heritage Range - Gas Oven - 6 brass burners + griddle

**36" ALL-GAS RANGE**

HER366GASNE01	●	36" Heritage Range - Gas Oven - 6 brass burners
HER366GASCR01	●	36" Heritage Range - Gas Oven - 6 brass burners
HER366GASVI01	●	36" Heritage Range - Gas Oven - 6 brass burners



Heritage Series Knobs



Heritage Series Handle

- **48" model:** Main gas convection oven (3.6 cu.ft) and gas infrared broiler + auxiliary standard gas oven (2.2 cu.ft) + stainless steel electric griddle (1100W)
- **36" model:** gas convection oven (4.4 cu.ft) and gas infrared broiler
- 1 x 18000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- Functions: traditional bake, gas convection, broil, defrost/dehydrate, sabbath mode
- Included oven equipment: 2 telescopic glide shelves for 48' model (1 for 36" model), 1 baking tray, 2 heavy gauge wire shelves, 1 grill trivet for tray
- Wok ring, simmer plate, propane conversion kit and 4" backguard are included (optional flat island trim available)
- Chrome metal knobs
- Bottom flap storage compartment
- Electric ignition with thermocouple safety device
- Full-width triple glass
- 48" model: **W** 47-7/8" **D** 25-3/16" **H** 35-1/2" > 37-1/4" (adjustable legs)
- 36" model: **W** 35-7/8" **D** 25-3/16" **H** 35-1/2" > 37-1/4" (adjustable legs)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**

PROFESSIONAL &  
MASTER SERIES

BUILT-IN OVENS

**30" ELECTRIC CONVECTION SINGLE OVEN**

PROFS30XT	●	30" Professional Series - Single Self-Clean Oven - Top Version (T)
MASFS30XT	●	30" Master Series Range - Single Self-Clean Oven - Top Version (T)
PROFS30XV	●	30" Professional Series - Single Oven - Value Version (V)
MASFS30XV	●	30" Master Series - Single Oven - Value Version (V)

**30" ELECTRIC CONVECTION DOUBLE OVEN**

PROFD30XT	●	30" Professional Series - Double Self-Clean Oven - Top Version (T)
MASFD30XT	●	30" Master Series - Double Self-Clean Oven - Top Version (T)
PROFS30XV	●	30" Professional Series - Single Oven - Value Version (V)
MASFS30XV	●	30" Master Series Range - Oven - Value Version (V)

- LCD touch control interface + knobs with 10 cooking modes + Assistant (XT models)  
LED touch control interface + knobs with 9 cooking modes (XV models)
- Flush front design and suitable for undercounter installation
- Fingerprint free stainless steel
- Dual diagonal convection system
- Net volume for each cavity : 4.1 cu.ft
- Dimensions: **W** 29-3/4" / **D** 22-5/8" / **H** 28-3/4" (single) **H** 53-1/4" (double)
- 4 heating elements: 3400W+2100W+2x1650W
- Touch digital programmer timer
- Electrical supply: 30 Amp - 5 000 W (single)  
Electrical supply: 50 Amp - 11 000 W (double)
- Soft motion door with quadruple glass
- 2 wire shelves and 7 shelf positions
- 1 baking tray included (double: 2 trays)
- Full extension telescopic rack and meat probe (XT models)

**COOKING MODES:** 1 convection 2 broiler 3 convection broiler 4 convection bake 5 bake 6 turbo 7 dehydration/defrosting 8 proofing 9 warming 10 self clean (XT models only) 11 auto cooking modes: 33 preset with assistant (XT models only)



PROFS30XV



MASFS30XT



PROFD30XT



MASFD30XV

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27

PROFESSIONAL &  
MASTER SERIES

BUILT-IN OVENS

**24" CONVECTION OVEN**

PROFS24XV

24" Professional Series - Electric convection single oven



- Capacity 2.3 cu.ft
- 5 power levels
- Fingerprint free stainless steel
- Flush installation with cabinet doors
- 2 wire shelves, 1 baking tray, 5 shelf positions
- Metal finish knobs with LED display interface
- Triple glass inner oven door
- Dimensions: W 23-3/8" / D 21-13/16" / H 23-3/8"

**24" CONVECTION SPEED OVEN (COMBI MICROWAVE)**

SO24PROX/WMC

24" Professional Series - Electric convection Speed oven (with metal conduit)

TR30PROSO

30" Width installation - Side trim panels required



- Combination of electric convection + grill with microwave (6 fonctions)
- LCD touch control glass interface
- Fingerprint free stainless steel
- Flush front design
- Suitable for undercounter installation
- 5 power levels (200 W to 1000 W)
- 13 preset cooking modes
- European convection ring heating element
- 1.35 cu.ft stainless cavity
- Broiler: 1500W electric grill
- Cooling fan
- Glass turntable
- W 23-7/16" / D min. 17-3/4 max. 20-7/16" H 17-15/16"
- Side Panel (2): W 2-31/32" / H 17-29/32

**30" CONVECTION SPEED OVEN**

PROSO30X

30" Professional Series - Electric Convection Speed oven

MASSO30X

30" Master Series - Electric convection Speed oven



PROSO30X

- Combination of electric convection + grill with microwave (6 fonctions)
- Touch LED display + knobs
- Fingerprint free stainless steel
- Flush front design
- 1.34 cu.ft stainless cavity
- 5 preset auto cooking modes
- Cooling fan
- 1 glass turntable tray
- 2 shelf positions
- Suitable for undercounter installation
- Dimensions: W 29-3/4" / D 21-17/64" / H 18-5/8"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**



PROFESSIONAL &  
MASTER SERIES

SPECIALITY OVENS

**30" CONVECTION STEAM OVEN**

PROCS30X	30" Professional Series - Electric convection Steam oven
MASCS30X	30" Master Series - Electric convection Steam oven



MASCS30X

- Combination of electric convection + grill with steam (6 fonctions)
- Touch LED display + knobs
- Fingerprint free stainless steel
- Flush front design
- Suitable for undercounter installation
- 1.10 cu.ft stainless cavity
- 1 stainless tray and 1 perforated stainless tray
- 2 shelf positions
- Dimensions: W 29-3/4" / D 21-17/64" / H 18-5/8"

**24" BUILT-IN MICROWAVE OVEN**

MO30STANE	24" Microwave oven
FR30PROX	30" Width installation - Stainless steel frame required



MO30STANE + FR30PROX

- Style to match with Professional and Master Series
- Capacity 2 cu.ft
- 10 power levels / Power 1100 watts
- Turntable diameter 16"
- White cavity finishing
- Sensor heat, defrost, cook function, timer
- Preset cooking modes
- Dimensions: W 24" / D 21-3/4" / H 12-1/2"
- Frame dimensions: W 29-7/8" / D 1" / H 18-1/4"

**30" VENTILATION MICROWAVE OVEN (OTR)**

KOTR30XT	30" Microwave Hood + Convection (over-the-range)
KOTR30X	30" Microwave Hood (over-the-range)



- Style to match with Professional and Master Series
- Can be located above a 24"/30" cooking surface
- Integrated, multi stage range hood function
- Stainless steel front and black glass window
- 3 lights, one in the cavity - two on the base plate
- Turntable (diam. 13.6")
- 2 speeds, high level 300CFM - low level 190CFM
- 10 Power levels and controls (pre-set functions, cooking timer and sensor for reheating + defrosting).
- Convection power: 1450W (XT model only)
- Microwave Power : 900W (X) / 000W (XT)
- Oven volume: 1.6 cu.ft (X) / 1.5 cu.ft (XT)
- Dimensions: W 29 13/16" / D 14 7/8" / H 16 1/8"

**30" WARMING DRAWER**

PROWD30X	30" Professional Series - Warming drawer
MASWD30X	30" Master Series - Warming drawer



PROWD30X



MASWD30X

- Capacity 1.5 cu.ft
- Flush front design
- Fingerprint free stainless steel
- Ceramic-finished drawer
- Soft closing operation
- Power rating 400W
- Temperature: 85° F - 170° F
- Dimensions: W 29-7/8" / D 21-1/4" / H 10-3/64"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27

PROFESSIONAL &  
MASTER SERIES

BUILT-IN RANGETOPS

**GAS RANGETOPS**

CB486G00X	Professional Series - 48" gas rangetop - 6 brass burners + griddle
CB48M6G00X	Master Series - 48" gas rangetop - 6 brass burners + griddle
CB36600X	Professional Series - 36" gas rangetop - 6 brass burners
CB36M600X	Master Series - 36" gas rangetop - 6 brass burners
CB36500X	Professional Series - 36" gas rangetop - 5 brass burners
CB36M500X	Master Series - 36" gas rangetop - 5 brass burners



CB36M600X



CB36500X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Electric griddle: 1100 Watts (48" model only)
- Cast iron professional grade grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Wok ring, simmer plate and 3/4" backguard included
- 48" dimensions: W 47-13/16" / H 6-1/2" - D 25-3/16"
- 36" dimensions: W 35-13/16" / H 7-5/16" (with grates) / D 25-3/16"



CB48M6G00X

**GAS COOKTOPS - FRONT CONTROLS**

V36500X	Professional Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
V24400X	Professional Series - 24" gas cooktop - 4 aluminum burners - low profile maintop



V36500X

- Aluminium burners 750-13,000 BTUs
- Cast iron grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Easy to clean one-piece surface
- Black metal coated knobs
- Slim depth installation compatible
- 36" dimensions: W 35-13/16" / H 1-1/2" / D 21-11/16"
- 24" dimensions: W 23-1/4" / H 1-1/2" / D 19-5/8"



V24400X

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev. April.27

PROFESSIONAL &  
MASTER SERIES

BUILT-IN COOKTOPS

**GAS COOKTOPS - SIDE CONTROLS**

DB36600X	Professional Series - 36" gas cooktop - 6 brass burners - high profile maintop
QB36600X	Professional Series - 36" gas cooktop - 6 brass burners - low profile maintop
QB36M600X	Master Series - 36" gas cooktop - 6 brass burners - low profile maintop
QB36500X	Professional Series - 36" gas cooktop - 5 brass burners - low profile maintop
QB36M500X	Master Series - 36" gas cooktop - 5 brass burners - low profile maintop
Q36500X	Professional Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
Q36M500X	Master Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
QB30400X	Professional Series - 30" gas cooktop - 4 brass burners - low profile maintop
QB30M400X	Master Series - 30" gas cooktop - 4 brass burners - low profile maintop
Q30400X	Professional Series - 30" gas cooktop - 4 aluminum burners - low profile maintop
Q30M400X	Master Series - 30" gas cooktop - 4 aluminum burners - low profile maintop



DB36600X



QB36M600X



QB36500X



Q36M500X



QB30M400X



Q30M400X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Cast iron professional grade grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Wok ring, simmer plate and 3/4" backguard included
- Dimensions - 36" high profile: W 36-13/32" / H 1-3/8" / D 21-1/4"  
- 36" low\* profile: W 36-13/16" / H 2-11/16" / D 21-1/4"  
- 30" low\* profile: 29-7/16" / H 2-5/8" / D 21-1/4"  
\*Low profile: the height is integrated in countertop



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27

PROFESSIONAL  
SERIES

BUILT-IN COOKTOPS

**SEGMENTED COOKTOP - FRONT CONTROLS**

PM36500X	Professional Series - 36" cooktop - 5 brass gas burners
PM365S0X	Professional Series - 36" cooktop - 5 brass gas burners
PM3630GX	Professional Series - 36" cooktop - 3 brass gas burners + 800W griddle
PM363IOX	Professional Series - 36" cooktop - 3 brass gas burners + 2 induction zones
PM361IGX	Professional Series - 36" cooktop - 1 brass gas burner + 800W griddle + 2 induction zones
PM360IGX	Professional Series - 36" cooktop - 5 induction zones



PM36500X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Thermocouple gas shut-off safety
- Propane conversion kit included
- Metal knobs
- Cast iron grates
- Wok ring included (except PM360IGX)
- Dimensions: W 35-1/32" / H 2-11/16" / D 20-15/32"



PM363IOX



PM365S0X

**PM36500X and PM365S0X and PM3630GX**

- 110 Volts hook up

**PM363IOX and PM361IGX and PM360IGX**

- 220/240 Volts hook up
- Residual heat indicator
- Maximum induction power per zone: 1,800 watts (3,000 watts for PM360IGX)



PM361IGX



PM3630GX



PM360IGX

**SEGMENTED COOKTOP - FRONT CONTROLS**

PMB24300X	Professional Series - 24" gas cooktop - 3 brass burners - low profile maintop
PM24400X	Professional Series - 24" gas cooktop - 4 aluminum burners - low profile maintop



PMB24300X

- 3 brass burners > 750-18000 Btu (dual zone) + 6500 Btu + 3400 Btu OR
- 4 aluminium burners > 11000 Btu + 2 x 6500 Btu + 3400 Btu
- Silver metal coated knobs
- Wok ring included (PMB23400X only)
- Thermocouple gas shut-off safety
- Dimensions: W 23-3/16" / H 2-11/16" / D 20-15/32"



PM24400X

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27



PROFESSIONAL  
SERIES

BUILT-IN COOKTOPS

**INDUCTION COOKTOP - TOUCH CONTROLS**

P365IAE	Professional Series - 36" induction cooktop - 5 zones
P304IAE	Professional Series - 30" induction cooktop - 4 zones

- Bevelled ceramic glass
- 14 Power levels
- Timed cooking function for each heating zone
- Digitally controlled sensors and residual heat indicators
- Wear-resistant ceramic glass surface, easy to clean



**P365IAE**

- Induction zones of up to 5500W
- Max Amp usage: 11100 W - power rating: 48 A
- 2 bridge cooking zones
- 36" dimensions: W 34 5/8" / D 20 15/32" / H 2 7/16"



**P304IAE**

- Induction zones of up to 30": 3700W
- Max Amp usage: 7400 W - power rating: 32 A
- 1 bridge cooking zone
- 30" dimensions: W 30 11/16" / D 20 15/32" / H 2 7/16"

**ELECTRIC COOKTOP - SIDE CONTROLS**

P304CERNE	Professional Series - 30" electric cooktop - 4 zones
P244CERNE	Professional Series - 24" electric cooktop - 4 zones

- Ceramic glass with metal trim
- Electromechanical controls - Push & Turn
- Soft touch knobs



**P304CERNE**

- 4 radiant elements : 2 x 1200W + 1100W + 1800W (double zone 2500W)
- Dimensions: W 30" / H 2-3/16" / D 21"



**P244CERNE**

- 4 radiant elements : 2 x 1200W + 2 X 1800W
- Dimensions: W 24" / H 3-1/8" / D 21"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

ALL SERIES

REFRIGERATION



Professional Series



Master Series



Heritage Series

**36" FREESTANDING FRENCH DOOR**

REF36X/17

36" Refrigerator - French Door with freezer drawers

- Fingerprint free stainless steel
- LED lights on sides and top part of the cabinet
- Open door alarm
- Door Storage: 2 stationary + 4 height adjustable
- Shelves: 2 stationary / 4 height-adjustable
- Foldable glass shelf
- Interior LED touch-interface
- Temperature controlled crisper
- Drawers (refrigerator): 2 larges
- Drawers (freezer): 2 + 1 tray for ice cubes
- Automatic Ice maker (2.6 lbs/24 hr capacity of ice)
- Dimensions: W 35-7/8" / H 70"  
D 30-3/4" (with handles)  
D 28-1/2" (without handles)

**THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT (\_ \_ \_HK\_ \_ REF).**



**36" HANDLE KIT FOR REFRIGERATOR (KIT CONTAINS 4 HANDLES)**



PROHK36REF Professional Series - Stainless steel

MASHK36REF Master Series - Chrome

HERHK36REF Heritage Series - Chrome

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev.April.27

PROFESSIONAL &  
MASTER SERIES

REFRIGERATION

**BUILT-IN BOTTOM MOUNT REFRIGERATOR**

REF36PRR	36" Refrigerator - Panel ready - Right hinge
REF36PRL	36" Refrigerator - Panel ready - Left hinge
REF30PRR	30" Refrigerator - Panel ready - Right hinge
REF30PRL	30" Refrigerator - Panel ready - Left hinge

- Extra-bright LED lights interior illumination on top and sides
- Automatic settings: Max Cool Fridge, Vacation, Beverage Cooler, SuperIce, IceSize, Sabbath Mode, Water Filter
- Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.
- White Aluminium Interior
- 2 full-width shelves, 2 antibacterial stainless steel drawers
- Flex Mode: Switch bottom compartment between freezer and refrigerator with one touch.
- Door storage: 3 full-width racks
- Freezer: 1 large drawer, 1 inner drawer, ice tray
- Automatic ice maker with filter (up to 3lbs/24 hours)
- Total no frost
- Internal LED touch interface with intuitive controls
- Dimensions 30": W 29 1/2" / H 83 1/2" / \*D\* 24"
- Dimensions 36": W 35 3/8" / H 83 1/2" / \*D\* 24"
- 17.7 cu.ft capacity (36") - 13.9 cu.ft capacity (30")

**HANDLE MUST BE ORDERED SEPARATELY IF NEEDED (\_ \_ \_HK\_ \_ PI).**

\* Depth is without handles and custom cabinet panel



REF36PRL

REF30PRR

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**

PROFESSIONAL &  
MASTER SERIES

REFRIGERATION



REF36PIXL + PROHK36PI

**BUILT-IN BOTTOM MOUNT REFRIGERATOR**

REF36PIXR	36" Refrigerator - Panel installed - Right hinge
REF36PIXL	36" Refrigerator - Panel installed - Left hinge
REF30PIXR	30" Refrigerator - Panel installed - Right hinge
REF30PIXL	30" Refrigerator - Panel installed - Left hinge

- Extra-bright LED lights interior illumination on top and sides
- Automatic settings: Max Cool Fridge, Vacation, Beverage Cooler, SuperIce, IceSize, Sabbath Mode, Water Filter
- Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.
- White aluminium interior
- 2 full-width shelves, 2 antibacterial stainless steel drawers
- Flex Mode: Switch bottom compartment between freezer and refrigerator with one touch.
- Door storage: 3 full-width racks
- Freezer: 1 large drawer, 1 inner drawer, ice tray
- Automatic ice maker with filter (up to 3lbs/24 hours)
- Total no frost
- Internal LED touch interface with intuitive controls
- 17.7 cu.ft capacity (36") - 13.9 cu.ft capacity (30")
- 36" dimensions: W 35 3/8" / H 83 1/2" / D 25" (without handle)
- 30" dimensions 30": W 29 1/2" / H 83 1/2" / D 25" (without handle)

**THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT ( \_ \_ HK \_ PI).**



**HANDLE KIT FOR REF \_ \_ PIX \_ (KIT CONTAINS 2 HANDLES)**

PROHK36PI	Professional Series - For REF36PIX - Stainless steel
MASHK36PI	Master Series - For REF36PIX - Chrome
PROHK30PI	Professional Series - For REF30PIX - Stainless steel
MASHK30PI	Master Series - For REF30PIX - Chrome

**BUILT-IN SIDE BY SIDE CONNECTION TRIM INSTALL KIT**

901470	For panel installed
901469	For panel ready

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**



PROFESSIONAL &  
MASTER SERIES

REFRIGERATION



REF31BMXL + MASHK31BM

**FREESTANDING REFRIGERATOR**

REF31BMXR 31" Refrigerator - Right hinge

REF31BMXL 31" Refrigerator - Left hinge

- 5 level airflow system (no frost)
- Electronic touch control interface with LED screen
- Automatic settings: Holiday Mode, Super Freeze, Alarm, Super Cool
- Fingerprint free stainless steel
- White aluminium interior with LED lights illumination
- Energy star certification
- Fridge door storage: 2 full-width and 2 half-width racks, 2 half-width bins
- Fridge interior: 4 shelves, 1 compartmented full-width crisper
- Freezer interior: 2 full-width, 1 half-width open bin
- Manual twist ice maker
- Dimensions: W 31 1/8" / H 69 1/8" / D 26 3/8" (without handle)
- 17 cu.ft capacity



**THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT (\_ \_ \_HK31BM).**



REF24BMX + PROHK24BM

**FREESTANDING REFRIGERATOR**

REF24BMX 24" Refrigerator - Reversible hinge

- 5 level airflow system (no frost)
- Electronic touch control interface with LED screen
- Automatic settings: Holiday Mode, Super Freeze, Alarm, Super Cool
- Fingerprint free stainless steel
- White aluminium interior with LED lights illumination
- Energy star certification
- Fridge door storage: 3 full-width racks (1 covered)
- Fridge interior: 3 shelves, 2 full-width crispers (1 with humidity control)
- Bottle holder and wine rack
- Freezer interior: 3 full-width drawers
- Reversible door with fingerprint free stainless steel
- Dimensions: W 23 3/8" / H 72 3/4" / D 26 15/16" (without handle)
- 11.5 cu.ft capacity



**THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT (PROHK24BM).**

**HANDLE KIT FOR REF31BMX\_ AND REF24BMX (KIT CONTAINS 2 HANDLES)**

PROHK31BM Professional Series - For REF31BMX - Stainless steel

MASHK31BM Master Series - For REF31BMX - Chrome


PROHK24BM Professional Series - For REF24BMX - Stainless steel



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev. April.27

ALL SERIES

CLEAN UP



DW24XV + HERHK24DW

**BUILT-IN DISHWASHER**

DW24XT	24" Dishwasher - Top version - 16 place settings
DW24XV	24" Dishwasher - Value version - 14 place settings

- Fingerprint free stainless steel
- 6 washing cycles: heavy, auto, normal, quick, eco, rinse.
- Washing options: power zone (XT only), extra dry, sani boost, high temp, delay start 24h.
- Sound insulation: 45 db (XT) 48db (XV)
- Place settings: 16 (XT) 14 (XV)
- LED touch controls (concealed)
- Energy star certification
- Food disposer
- Spray arms: 4 (XT, including power zone) 3 (XV)
- Racks: 3 (XT, including flexible top drawer) 2 (XV)
- Turbo drying system (XT only)
- 2 LED lights (XT only)
- Triple-stage filter in stainless steel and plastic
- Dimensions: W 23-3/4" / H 33-3/4"
- D 24-1/2" (without handle)

**THE DISHWASHER MUST BE ORDERED WITH THE HANDLE (\_ \_HK24DW).**



**BUILT-IN DISHWASHER - PANEL READY**

DW24PR	24" Dishwasher - 10 place settings
DW18PR	18" Dishwasher - 8 place settings



DW24PR

- Panel ready
- 6 washing cycles: heavy, auto, normal, quick, eco, rinse.
- 4 washing options: sanitize, hi temp, heating dry, energy save
- Sound insulation: 49 dB
- Electronic touch control and LED display (concealed)
- Energy star certification
- End of cycle floor projection indicator light
- Stainless steel interior finish
- 3 spray arms
- 24" dimensions: W 23-5/8" / H 32-1/2" / D\* 21-5/8"
- 18" dimensions: W 17-11/16" / H 32-1/2" / D\* 21-5/8"



DW18PR

\* Without handles or custom cabinet panel

**HANDLE MUST BE ORDERED SEPARATELY IF NEEDED (\_ \_HK\_ \_DW).**



**HANDLE FOR DISHWASHERS**

PROHK24DW	Professional Series - For 24" dishwasher - Stainless steel
PROHK18DW	Professional Series - For 18" dishwasher - Stainless steel
MASHK24DW	Master Series - For 24" dishwasher - Chrome
MASHK18DW	Master Series - For 18" dishwasher - Chrome
HERHK24DW	Heritage Series - For 24" dishwasher - Chrome



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

PROFESSIONAL &  
MASTER SERIES

VENTILATION

**UNDERMOUNT CANOPY HOOD**

KU48PRO2X/14	48" Canopy hood - 2 motors - 1200 CFM - Stainless baffle filters - Top version
KU36PRO2X/14	36" Canopy hood - 2 motors - 1200 CFM - Stainless baffle filters - Top version
KU48PRO1X/14	48" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU36PRO1X/14	36" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU30PRO1X/14	30" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU24PRO1X/14	24" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version

- Stainless steel
- Electronic controls (3 speeds)
- Halogen lighting (2 motors: 4 lights / 1 motor: 2 lights)

**KU48PRO2X/14** W 47-13/16" / D 12" - 22-7/16" / H\* 10-1/8"

Duct covers sold separately: 901263 (medium), 901261 (large) / Air bracket: 901264

**KU36PRO2X/14** W 35-7/8" / D 12" - 22-7/16" / H\* 10-1/8"

Duct covers sold separately: 901263 (medium), 901265 (large) / Air bracket: 901264

**KU48PRO1X/14** W 47-13/16" / D 12" - 19-5/16" / H\* 10-1/8"

Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow), 901261 (large)  
Recirculation kit: 901154

**KU36PRO1X/14** W 35-7/8" / D 12" - 19-5/16" / H\* 10-1/8"

Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow), 901265 (large)  
Recirculation kit: 901154

**KU30PRO1X/14** W 29-15/16" / D 12" - 19-5/16" / H\* 10-1/8"

Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow), 901266 (large)  
Recirculation kit: 901154

**KU24PRO1X/14** W 23-15/16" / D 12" - 19-5/16" / H\* 10-1/8"

Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow) / Recirculation kit: 901154

\*Total Height (incl. duct cover) 46-5/8" to 82-5/8"



KU36PRO2X/14



KU30PRO1X/14

**UNDERMOUNT CANOPY HOOD**

KU36PRO1XV	36" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version
KU30PRO1XV	30" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version
KU24PRO1XV	24" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version

- Stainless steel
- Slider controls (3 speeds)
- 2 halogen lights
- Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow)
- Recirculation kit available

**KU36PRO1XV** W 36" / D 17-33/64" / H 8-17/64"

**KU30PRO1XV** W 30" / D 17-33/64" / H 8-17/64"

**KU24PRO1XV** W 24" / D 17-33/64" / H 8-17/64"



KU30PRO1XV

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev. April.27

PROFESSIONAL &  
MASTER SERIES

VENTILATION

**INSERT HOOD**

KIN46PROX	46" Insert hood - 2 motors - 1200 CFM - Stainless baffle filters
KIN36PROX	36" Insert hood - 2 motors - 1200 CFM - Stainless baffle filters
KIN30PROX	30" Insert hood - 1 motor - 600 CFM - Stainless baffle filters



KIN36PROX



KIN30PROX

- Stainless steel
- Recirculation kit available

**KIN46PROX and KIN36PROX**

- 3 speed slider controls x 2
- 4 LED lights
- 46" dimensions: W 45-7/16" / D 18-1/2" / H 12-1/4"
- 36" dimensions: W 34-1/4" / D 18-1/2" / H 12-1/4"
- Air Bracket included on board

**KIN30PROX**

- 3 speed electronic controls + remote control
- 2 LED lights
- Dimensions: W 28-3/8" / D 15-3/4" / H 11-1/8"



KIN46PROX

**VISOR HOOD**

KTV30PRO1X	30" Visor downdraft hood - 1 motor - 500 CFM - Aluminum mesh filters
KTV24PRO1X	24" Visor downdraft hood - 1 motor - 300 CFM - Aluminum mesh filters



KTV30PRO1X

- Stainless steel
- Digital touch controls (3 speeds)
- 2 halogen lights
- Max telescopic extension is 8"3/4
- 30" dimensions: W 30" / D 11" / H 1-5/8' (total H: 12-1/2")
- 24" dimensions: W 23-11/16" / D 11" / H 1-5/8' (total H: 12-1/2")

**WALLMOUNT HOOD**

KG48CONX	48" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)
KG36CONX	36" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)
KG30CONX	30" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)



KG36CONX

- Stainless steel + black glass frontage
- 3 speed touch controls (glass panel)
- 2 halogen lights
- Duct cover included
- 48" dimensions: W 47-11/16" / D 18-1/2" / H 3-1/8"
- 36" dimensions: W 35-7/8" / D 18-1/2" / H 3-1/8"
- 30" dimensions: W 30-7/8" / D 18-1/2" / H 3-1/8"
- Total Height with duct cover: 19-5/16" to 33-3/16"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**



PROFESSIONAL &  
HERITAGE SERIES

VENTILATION

**WALLMOUNT HOOD**

K48CONX/14	48" Wallmount hood - 1 motor - 600 CFM - Aluminum mesh filters
K36CONX/14	36" Wallmount hood - 1 motor - 600 CFM - Aluminum mesh filters



K36CONX

- Stainless steel
- 600 CFM (1 motor)
- Electronic controls (3 speeds)
- 2 halogen lights
- Duct cover included
- 48" dimensions: W 48" / D 19-11/16" / H 4-11/16"
- 36" dimensions: W 36" / D 19-11/16" / H 4-11/16"
- Total Height with duct cover: 21-11/16" to 35-13/16"

**WALLMOUNT HOOD**

K48HERX/14	Heritage Series - 48" Wallmount hood - 1 motor - 600 CFM - Stainless baffle filters
K36HERX/14	Heritage Series - 36" Wallmount hood - 1 motor - 600 CFM - Stainless baffle filters



K36HERX/14 + KC36HERVI

- Stainless steel
- Electronic controls (3 speeds)
- 2 halogen lights
- Duct cover included
- Must be sold with canopy
- Chrome utensils bar included with the canopy
- 48" dimensions: W 48" / D 19-11/16" (without bar)
- 36" dimensions: W 36" / D 19-11/16" (without bar)
- Total Height (with canopy) 26-1/2" to 40-5/8"



KC48HERNE



K36HERX/14 + KC36HERCR

**CANOPY TO COMPLETE ASSEMBLY**

KC48HERNE	48" Canopy - NERO / Black
KC48HERCR	48" Canopy - CREMA / Beige
KC48HERVI	48" Canopy - VINO / Burgundy
KC36HERNE	36" Canopy - NERO / Black
KC36HERCR	36" Canopy - CREMA / Beige
KC36HERVI	36" Canopy - VINO / Burgundy

## ACCESSORIES

### DUCT COVERS AND RECIRCULATION KITS



901262 Duct Cover Narrow - tall

901281 Duct Cover Narrow - short

901263 Duct Cover Medium



901266 30" Duct Cover Large

901265 36" Duct Cover Large



901261 48" Duct Cover Large

901255 Duct Extension for all PRO models

901363 Duct Extension for all CON/14 models


901271 Recirculation Kit for KG48CONX-KG36CONX models

901335 Recirculation Kit for KU30PRO1XV model

901336 Recirculation Kit for KU36PRO1XV model

901396 Recirculation Kit for KU24PRO1XV model

901397 Recirculation Kit for KIN46-36-30 models



901426 Recirculation Kit for CON/14 - HER/14 and PRO/14 models

901453 Recirculation Kit for KTV30PRO1X-KTV24PRO1X models



901264 Air Bracket for KU48-36 PRO 2X models

**Z130018** Flow through restrictor  
- Reducing performance from 440 or 600 cfm hoods to 300 cfm  
- Can be installed with all range hood models except 100 and 1200 cfm models.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

## ACCESSORIES

### FILTER KITS



- 901364 Kit Baffle Filters for CON/14 and HER/14 models  
1 package contains 4 filters

- 901365 Kit Baffle Filters for KU48-36-24 PROX/14 models  
1 package contains 4 filters

- 901366 Kit Baffle Filters for KU30 PROX/14 model  
1 package contains 4 filters



- 901402 Kit Aluminium Mesh Filters for KU48-36-24 PRO/14 and KU36-24 XV models  
1 package contains 4 filters

- 901403 Kit Aluminium Mesh Filters for KU30 PRO/14 and KU30 XV models  
1 package contains 4 filters


- 901404 Kit Aluminium Mesh Filters for CON/14 and HER/14  
1 package contains 4 filters



- 901394 Charcoal Filter Kit for PRO/14 models



- 901395 Charcoal Filter Kit for CON/14 and HER/14 models



- 901430 Charcoal Filter Kit for XV models

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev. April.27**

## ACCESSORIES

### BACKSPLACHES



**BS48HERX** 48" Backsplash for Heritage Series  
- Dimensions: W 47-13/16" / H 26-9/16"

**BS36HERX** 36" Backsplash for Heritage Series  
- Dimensions: W 35-13/16" / H 26-9/16"

### TOEKICK PANELS



**TKP48X** 48" Toekick panel for Professional and Master Series

**TKP36X** 36" Toekick panel for Professional and Master Series

**TKP30X** 30" Toekick panel for Professional and Master Series



**TKS24X** 24" Toekick panel for Professional and Master Series

**TKS48X** 48" Toekick panel for Heritage Series

**TKS36X** 36" Toekick panel for Heritage Series

### SIDE TRIMS



**ST36HERNE** 36" Side trim set for Heritage Series - Black  
- Lateral trim for open-sided installation (2 pieces)

**ST36HERCR** 36" Side trim set for Heritage Series - Beige  
- Lateral trim for open-sided installation (2 pieces)

**ST36HERVI** 36" Side trim set for Heritage Series - Burgundy  
- Lateral trim for open-sided installation (2 pieces)

### BACKGUARDS



**BGH48** 4" backguard for 48" Professional and Master Series

**BGH36** 4" backguard for 36" Professional and Master Series

**BGH30** 4" backguard for 30" Professional and Master Series

### ISLAND TRIM



**IRF24X** 3/4" island trim for 24" Professional and Master Series

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**

## ACCESSORIES

### COOKING



TG

Telescopic glide set for all 30" wall ovens  
Includes 1 set of telescopic glides + 1 additional wire shelf



TGC

Telescopic glide set for Heritage Series ranges  
Includes 1 set of telescopic glides  
These are the telescopic glides for the OLD PLATFORM of ranges.  
\*Works only with 30" and 36" oven cavities (includes Large cavity of 48")



901471

Telescopic glide set for 2018 Professional and Master Series Ranges 30-36-48"  
Includes 1 set of telescopic glides



901272

Porcelain Tray



901273

Glass Tray



CIG36

Cast Iron Griddle for 2018 Professional  
and Master Series ranges



901438

Simmer Ring - Replace #408077



901439

Wok Ring - Replace #408084



## ACCESSORY GUIDE

### 2017 VENTILATION ACCESSORIES GUIDE

Range hood Category	Series	Size	Model #	Duct cover	Duct cover extension	Recirculation kit	Air bracket for 2 in 1 ducting	Baffle Filters	Mesh Filters	Flow through Restrictor *
Cabinet Mount/ Visor Hood	ALL	24"	KTV24PRO1X	n/a	n/a	901453	n/a	n/a	n/a	n/a
		30"	KTV30PRO1X	n/a	n/a	901453	n/a	n/a	n/a	Z130018
Wall Mount	Design	30"	KG30CONX	included	not available	901271	n/a	n/a	n/a	Z130018
		36"	KG36CONX	included	not available	901271	n/a	n/a	n/a	Z130018
			K36CONX/14	included	901363	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	Z130018
		48"	KG48CONX	included	not available	901271	n/a	n/a	n/a	Z130018
			K48CONX/14	included	901363	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	Z130018
	Heritage	36"	K36HERX/14	included	not available	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	n/a
		48"	K48HERX/14	included	not available	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	n/a
	Undermount/ Wall Mount	Professional	24"	KU24PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	n/a
KU24PRO1XV				Narrow 901262 Narrow ceiling 8-10ft 901281	901255	901396 recirculation kit 901430 charcoal filter kit	n/a	n/a	901402	Z130018
30"			KU30PRO 1 XV	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901266	901255	901335 recirculation kit 901430 charcoal filter kit	n/a	n/a	901403	Z130018
			KU30PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901266	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901366	901403	Z130018
			KU36PRO1XV	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901265	901255	901336 recirculation kit 901430 charcoal filter kit	n/a	n/a	901402	Z130018
			KU36PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901265	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	901402	Z130018
KU36PRO2X/14			Medium 901263 Full Width 901265	901255	n/a	901264	901365	n/a	n/a	
48"			KU48PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Full Width 901261	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	901402	Z130018
			KU48PRO2X/14	Medium 901263 Full Width 901261	901255	n/a	901264	901365	n/a	n/a
Liners			ALL	30"	KIN30PROX	n/a	n/a	901397	n/a	n/a
	36"	KIN36PROX		n/a	n/a	901397	included	n/a	n/a	n/a
	46"	KIN46PROX		n/a	n/a	901397	included	n/a	n/a	n/a
OTR	ALL	30"	KO30PROX	n/a	n/a	n/a	n/a	n/a	n/a	n/a
			KOTR30X	n/a	n/a	901452	n/a	n/a	n/a	n/a

\*Available only as a Spare

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. **Rev.April.27**

## COLORS




### COLOR FINISH

#### STAINLESS STEEL

NERO	Glossy Black
BIANCO	Glossy White
ROSSO	Glossy Red
GIALLO	Glossy Yellow
ARANCIO	Glossy Orange
BIANCO OPACO	Matt White
NERO OPACO	Matt Black
CREMA OPACO	Matt Beige
VINO OPACO	Matt Burgundy

### SERIES

Professional & Master
Professional
Professional
Professional
Professional
Master
Master & Heritage
Heritage
Heritage



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates. Rev. April.27

# PRODUCT GUIDE 2018



T 800 361 0799 F 450 682 7943

[www.distinctive-online.com](http://www.distinctive-online.com) [info@distinctive-online.com](mailto:info@distinctive-online.com)

## ADMINISTRATION & WAREHOUSE

2025 Cunard, Laval (QC) H7S 2N1

## SHOWROOMS

8210 Devonshire Road, Town of Mount Royal (QC) H4P 2P7

6900 Airport Road (Suite 206), Mississauga (ON) L4V 1E8

## PARTS & SERVICE

[service@distinctive-online.com](mailto:service@distinctive-online.com)

## ORDER DESK

[orderdesk@distinctive-online.com](mailto:orderdesk@distinctive-online.com)