



Blomberg

seit 1883

PRODUCT GUIDE **2018**

Blomberg is a **Distinctive** brand

REFRIGERATION	MODEL	WIDTH	FINISH	
REFRIGERATION	BOTTOM-MOUNT	BRFB 1051 FFBIN		3
		BRFB 1042 SSN		3
		BRFB 1900 FBI		4
		BRFB 1920 FBI/SS		4
		BRFB 1312 SS		5
		BRFB 1512 SS		5
		BRFB 1812 SSN/SSLN		6
		BRFB 1822 SSN/SSLN		6
	FRENCH-DOOR	BRFD 2230 SS		7
		BRFD 2652 SSN		7
	SIDE-BY-SIDE	BSBS 2230 SS		8
COOKING	RANGES	BERC 24100 SS		9
		BERC 24200 SS		9
		BGR 24100 SS		10
		BERU 30420 CSS		10
		BGR 30420 CSS		11
		BGRP 34520 CSS		11
		BDFP 34550 CSS		12
		BIRP 34450 CSS		12
		ACCESSORIES		13
	COOKTOPS	CTE 24402		14
		CTE 30400		14
		CTE 36500		14
	OVENS	BWOS 24102		15
		BWOS 24202		15
		BWOS 30100		15
	OTR-MICROWAVE	BOTR 30200 CSS		16
		BOTR 30100 SS		16
DISHWASHERS	SLIM TUB	DWS 55100 SS/FBI		17
	TALL TUB	DWT 25502 SS/B/W		17
		DWT 28500 SS/W		18
		DWT 56502 SS/FBI		18
		DWT 58500 SS/SSWS		19
		DWT 59500 SS/FBI		19
LAUNDRY	WASHER	WM 98400SX		20
	DRYER	DHP 24412W		20
WARRANTY				22

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FULLY INTEGRATED BOTTOM FREEZER REFRIGERATOR

BRFB1051FFBIN

22"

Panel Ready

FEATURES

- Electronic touch control system (7 segments)
- Antibacterial seal + carbon filter
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 10.6 cu.ft
- Total net volume: 8.4 cu.ft
- H 71-7/16" W 21-15/16" D 21-5/8"



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves
- Bottle holder, 2 x 6-egg trays
- White LED lighting
- Net volume: 6.1 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Net volume: 2.3 cu.ft



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1042SSN

24"

Fingerprint Free Stainless Steel

FEATURES

- Mechanical control system
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 10.6 cu.ft
- Total net volume: 8.8 cu.ft
- H 67-3/8" W 23-3/8" D 22-5/8" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Net volume: 6.2 cu.ft

FREEZER

- 3 drawers
- Auto defrost
- Net volume: 2.6 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



BRFB1920SS
Stainless Steel panel internal with
auto ice maker + water dispenser

INTEGRATED BOTTOM FRIDGE/FREEZER

BRFB1900FBI	30"	Panel Ready
BRFB1920FBI	30"	Panel Ready with ice machine
BRFB1920SS	30"	Fingerprint Free SS with ice machine

FEATURES

- Digital controls
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 18.5 cu.ft
- Auto ice machine with 11lbs/ day capacity
- H 83-3/4" W 29-3/4" D 24" (with door)



FRIDGE

- 4 door racks, blue light crisper zone
- Wine rack, 2 x 6-egg trays
- White LED lighting

FREEZER

- Extra-large freezer drawer
- Auto defrost
- White LED lighting



BRFB1900FBI
Panel-ready with no ice



BRFB1920FBI
Panel-ready with internal auto ice maker
+ water dispenser

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1312SS

24"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 12.9 cu.ft
- Total net volume: 11.4 cu.ft
- H 72-5/8" W 23-3/8" D 24-3/4" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves, bottle holder
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Total net volume: 7.9 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Total net volume: 3.4 cu.ft



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1512SS

27"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 18.4 cu.ft
- Total net volume: 16.8 cu.ft
- H 75-9/16" W 27-1/2" D 24-3/4" (without handles)



FRIDGE

- 4 door racks, 1 crisper, 4 glass shelves, bottle gripper
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Total net volume: 11,7 cu.ft

FREEZER

- 3 drawers (2 for BRFB1522), ice cube tray
- Auto defrost
- Total net volume: 5.1 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1812SSN	30"	Fingerprint Free Stainless Steel	R
BRFB1812SSLN	30"	Fingerprint Free Stainless Steel	L
BRFB1822SSN	30"	Fingerprint Free Stainless Steel with automatic ice machine	R
BRFB1822SSLN	30"	Fingerprint Free Stainless Steel with automatic ice machine	L

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal + carbon filter
- HygAIR ionizing technology
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Total gross volume: 17.8 cu.ft
- Total net volume: 16.2 cu.ft
- H 67-3/4" W 29-1/8" D 28-3/8" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 2 glass shelves
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Fan ventilation
- Blue zone
- Total net volume: 11.1 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Total net volume: 5.1 cu.ft
- Automatic ice machine (BRFB1822)



BRFB1822SSN

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING FRENCH-DOOR FRIDGE/FREEZER

BRFD2230SS

36"

Fingerprint Free Stainless Steel

FEATURES

- Electronic touch control system
- Antibacterial seal + carbon filter
- Duo cycle no frost cooling
- Eco-friendly refrigerant R134A
- Total gross volume: 22 cu.ft
- Total net volume: 18.7 cu.ft
- H 69-3/4" W 35-3/4" D 26-7/8" (without handles)

FRIDGE

- 6 door racks, 3 crispers, 4 glass shelves
- 2 x 6-egg trays
- White LED lighting
- Water dispenser
- Blue zone
- Total net volume: 13.3 cu.ft

FREEZER

- 2 drawers, 1 basket
- Auto defrost / Fast free function
- Automatic ice machine (11 lbs/day)
- Total net volume: 5.4 cu.ft



FREESTANDING ALL FRENCH-DOOR FRIDGE/FREEZER

BRFD2652SSN

36"

Fingerprint Free Stainless Steel

FEATURES

- Electronic display with touch controls
- Antibacterial seal + carbon filter
- HygAIR ionizing technology
- Trio-cycle NoFrost Cooling
- Eco-friendly refrigerant R134A
- Flexible temperature zone (-24°C to 10°C)
- Total gross volume: 25.7 cu.ft
- Total net volume: 18.7 cu.ft
- H 72-7/8" W 35-3/4" D 31-7/8" (without handles)

FRIDGE

- 6 door racks, 4 crispers, 2 glass shelves
- 2 x 6-egg trays
- White LED lighting
- Blue zone
- Automatic water dispenser
- Total net volume: 13.3 cu.ft

FREEZER

- 4 drawers, 2 shelves
- Auto defrost / Fast free function
- Automatic ice machine (11 lbs/day: crushed or cube)
- Total net volume: 5.4 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH

FREESTANDING SIDE-BY-SIDE FRIDGE/FREEZER

BSBS2230SS

36"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system
- Antibacterial seal + carbon filter
- HygAIR ionizing technology
- Duo cycle no frost cooling
- Eco-friendly refrigerant R134A
- Total gross volume: 21.9 cu.ft
- Total net volume: 19.3 cu.ft
- H 71-5/8" W 35-7/8" D 28-3/8" (without handles)

FRIDGE

- 5 door racks, 2 crispers, 4 glass shelves
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Blue zone
- Water dispenser
- Total net volume: 13.0 cu.ft

FREEZER

- 2 drawers, 4 shelves. 2 door racks
- Auto defrost
- Automatic ice machine
- Total net volume: 6.3 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



ELECTRIC CERAN CONVECTION RANGE

BERC24102SS

24"

Stainless Steel & Black

FEATURES

- 8 cooking functions: cooking, 3D cooking, bottom heater, fan, grill, fan + grill, fan + bottom + top heater, fan heating (turbo)
- Capacity: 2.51 cu.ft
- Electronic touch controls & timer
- 4 vitroceramic elements: 1200W - 1500W - 1800W - 2200W
- Convection oven
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 level wire racks
- Pull out storage drawer
- Adjustable feet
- 4" high stainless backsplash included (island trim comes with the range un-attached)
- Voltage / Frequency: 220-240V / 60Hz
- Circuit breaker: 40 A
- H 36" W 23-1/2" D 23-3/4"



ELECTRIC CERAN THERMAL RANGE

BERC24202SS

24"

Stainless Steel & Black

FEATURES

- 4 cooking functions: cooking, bottom heater, low grill, grill.
- Capacity: 2.51 cu.ft
- Mechanical timer (knob control)
- 4 vitroceramic elements: 2 x 1200W - 2 x 1800W
- Easy clean enamel
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 level wire racks
- Flap door storage
- Adjustable feet
- Island trim included (4" high stainless backsplash optional)
- Optional backsplash
- Voltage / Frequency: 220-240V / 60Hz
- Circuit breaker: 36 A
- H 36" W 23-1/2" D 23-3/4"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



GAS RANGE

BGR24102SS

24"

Stainless Steel & Black

FEATURES

- Capacity: 2.51 cu.ft
- Mechanical knob controls
- 4 gas burners: 1 x 3500 Btu - 2 x 7000 Btu - 1 x 12 000 Btu
- 2 cast iron pan supports
- Flame failure safety device
- Easy clean enamel
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 chromed racks
- Flap door storage
- Adjustable feet
- Island trim included (4" high stainless backsplash optional)
- Voltage / Frequency: 120V / 60Hz (0.5A)
- H 36" W 23-1/2" D 23-3/4"



ELECTRIC SLIDE-IN RANGE - 4 ZONES

BERU30420CSS

30"

Stainless Steel

FEATURES

- 10 cooking functions: Bake, Roast, Broil (high & low), Convection Bake, Convection Roast, Warming, Slow Cook, Pizza Cooking, Proof, Defrost
- Capacity: 5.7 cu.ft
- Electronic display control with multi-functions + silver knobs
- 4 vitroceramic elements: 1200W - 1800W - 2200/3000W
- 2 x 40W lights
- Self clean oven with convection fan
- 4 pane heat resistant glass
- 3 side rack positions
- 3 thick chromed easy pull-out racks
- Storage drawer
- Adjustable feet
- Slim backsplash design
- Voltage / Frequency: 240V / 60Hz (Min.40 A)
- H 36" W 29-13/16" D 29-1/8"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH

GAS SLIDE-IN RANGE - 4 BURNERS

BGR30420CSS

30"

Stainless Steel

FEATURES

- 10 cooking functions: Bake, Roast, Broil (high & low), Convection Bake, Convection Roast, Warming, Slow Cook, Pizza Cooking, Proving, Defrost
- Capacity: 5.7 cu.ft
- Electronic display control with multi-functions
- Silver knobs with integrated electronic ignition
- 4 sealed gas burners: 4000 - 7500 - 10 500 - 18 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- Flame failure safety device
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks
- Storage drawer
- Adjustable feet
- Slim island trim
- LP kit included
- H 36" W 29-13/16" D 29-1/8"

GAS PRO RANGE - 5 BURNERS

BGRP34520CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- LED-illuminated silver knobs with integrated electronic ignition
- Flame failure safety device
- 5 sealed gas burners: 4000 - 8000 - 10 000 - 12 500 - 20 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- LP kit included
- H 36" W 29-13/16" D 29-1/8"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH

DUAL-FUEL PRO RANGE - 5 BURNERS

BDFP34550CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- Silver knobs with integrated electronic ignition
- 5 sealed gas burners: 4000 - 8000 - 10 000 - 2 x 20 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- Flame failure safety device
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- Voltage / Frequency: 240V / 60Hz
- LP kit included
- H 36" W 29-13/16" D 29-1/8"

INDUCTION PRO RANGE - 4 ZONES

BIRP34450CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- LED-illuminated silver knobs
- 4 induction zones: 1400 to 3600 W
- Self clean oven with convection fan
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- Voltage / Frequency: 240V / 60Hz (Min.40 A)
- H 36" W 29-13/16" D 29-1/8"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



COOKING GRIDDLE FOR 30" RANGE

G3001

30"

Cast iron



RANGE WINGS

OW3001

Stainless Steel

OW3002

Black

Features


Filler strip adaptable on 24" ranges, 30" slide-in and 30" Pro-style ranges.
Comes with adhesive tape.

COOKTOPS

MODEL

WIDTH

FINISH



BUILT-IN ELECTRIC COOKTOP - 4 ELEMENTS


CTE24402

24"

Black Glass Ceramic + SS Frame

FEATURES

- Side mounted manual controls
- 4 cooking zones
- 6 cooking levels per element
- Zone power: 2x1200 W - 2x1800 W
- Hot surface indication
- Residual heat indication
- Voltage / Frequency: 240V / 60Hz (25 A)
- H 3-1/4" W 24-1/8" D 20-7/8"



BUILT-IN ELECTRIC COOKTOP - 4 ELEMENTS


CTE30400

30"

Black Glass Ceramic

FEATURES

- Touch sensitive front controls (digital display)
- 9 cooking levels per element
- 4 cooking zones (2 double) : 2x1200W - 1x800/2200W - 1x1100/2500W
- Automatic fast boil function
- Hot surface indication
- Residual heat indication
- Acoustic buzzer
- Low power scale for delicate cooking
- Failure codes indication
- Command lock
- Voltage / Frequency: 240V / 60Hz (30 A)
- H 3 9/32" + conduit 15/16" W 30" D 21"



BUILT-IN ELECTRIC COOKTOP - 5 ELEMENTS

CTE36500

36"

Black Glass Ceramic

FEATURES

- Touch slider sensitive front controls (digital display)
- 9 cooking levels per element
- 5 cooking zones (1 triple): 1x1200W - 3x1800W - 1x800/1600/2500W
- Automatic fast boil function
- Hot surface indication
- Residual heat indication
- Acoustic buzzer + Timer
- Low power scale for delicate cooking
- Failure codes indication
- Command lock
- Voltage / Frequency: 240V / 60Hz (42 A)
- H 3 9/32" + conduit 15/16" W 36" D 21"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVENS

MODEL

WIDTH

FINISH



BWOS24102



BWOS24202

BUILT-IN ELECTRIC OVEN

BWOS24102	24"	Fingerprint Free Stainless Steel
BWOS24202	24"	Black

FEATURES

- 8 cooking functions: true european convection bake, convection broil, convection roast, bake, broil, defrost, fast preheat, 3D (advanced convection system)
- Capacity: 2.3 cu.ft
- 2 black knobs + digital display
- 1 x 25W light
- Easy to clean enamel
- 3 pane heat resistant glass
- 5 side rack positions
- Electronic lock
- 2 chromed racks
- Voltage / Frequency: 240V / 60Hz (10 A)
- H 23-3/8" W 23-3/8" D 22-3/8"

BUILT-IN SELF-CLEAN ELECTRIC OVEN

BWOS30100	30"	Fingerprint Free Stainless Steel
------------------	-----	----------------------------------

FEATURES

- 7 functions: true european convection bake, convection broil, convection roast, bake, broil, dehydrate, fast preheat
- Capacity: 2.8 cu.ft
- 2 silver knobs + digital display
- 2 x 20 W halogen lights (lights on when door opening)
- Pyrolytic self-clean with automatic door latch
- Removable full width glass inner door
- 4 pane heat resistant glass
- 4 embossed rack positions
- Electronic lock
- °C / °F unit
- 2 chromed racks
- Voltage / Frequency: 240V / 60Hz (15 A)
- H 23-3/16" W 29-3/8" D 22-1/16"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVER THE RANGE

MODEL

WIDTH

FINISH



OVER-THE-RANGE CONVECTION MICROWAVE HOOD

BOTR30200CSS

30"

Stainless Steel + Black

FEATURES

- Capacity: 1.5 cu.ft
- Convection power: 1450 W
- 900 Watts
- 300 CFM hood
- 1 x 25W light
- Auto-weight defrost
- Auto-cooking
- Digital timer
- Electronic Controls
- Voltage / Frequency: 120V / 60Hz
- H 16-7/16" W 29-7/8" D 15-1/4"



OVER-THE-RANGE MICROWAVE HOOD

BOTR30100SS

30"

Stainless Steel + Black

FEATURES

- Capacity: 1.6 cu.ft
- 1000 Watts
- 300 CFM hood
- 1 x 25W light
- Auto-cooking
- Digital timer
- Electronic Controls
- Voltage / Frequency: 120V / 60Hz
- H 16-7/16" W 29-7/8" D 15"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH




DWS 55100 SS



DWS 55100 FBI



DWT 25502SS



DWT 25502B



DWT 25502W

SLIM TUB BUILT-IN DISHWASHER

DWS55100SS 18" Fingerprint Free Stainless Steel

DWS55100FBI 18" Panel Ready

FEATURES

- Brushless DC™ motor (induction)
- 5 programs: Pots and pans plus, Regular Wash, DailyWash, QuickWash, Rinse & Hold
- Top electronic controls with LCD
- 8 place settings
- 49 dB wash noise level
- Functions: 1/2 load, Extra Rinse, Extra Drying, Rapid Clean, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- Turbidity sensor
- DMFS overflow protection
- 3 way euro filtering system
- Condensing drying system
- FlexiRack™, adjustable upper rack (loaded)
- SmartFold™, lower rack folding tines
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Standard cutlery basket
- Stainless steel tank and inner door
- H 32-1/4" W 17-9/16" D 22-1/2"



TALL TUB BUILT-IN DISHWASHER

DWT25502SS 24" Fingerprint Free Stainless Steel

DWT25502B 24" Black

DWT25502W 24" White

FEATURES

- Brushless DC™ motor (induction)
- 5 programs: Pots and pans plus, Regular Wash, DailyWash, QuickWash, Rinse & Hold
- Exclusive ProCare Cleaning Cycle
- Front electronic controls with LCD
- 14 place settings
- 49 dB wash noise level
- Functions: 1/2 load, Extra Rinse, Sanitize, Rapid Clean, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- Turbidity sensor
- DMFS overflow protection
- 3 way euro filtering system
- Condensing drying system
- FlexiRack™, adjustable upper rack (unloaded)
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Sliding cutlery basket
- Stainless steel tank and inner door
- H 33-7/8" W 23-1/2" D 22-1/2"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH



DWT 28500 SS



TALL TUB BUILT-IN DISHWASHER

DWT28500SS 24" Fingerprint free stainless steel

DWT28500W 24" White

FEATURES

- Brushless DC™ motor (induction)
- 5 programs: Pots and pans plus, Pots and pans, Auto Program, MixWash+, Regular Wash, Daily Wash, China/Crystal, QuickWash, Rinse & Hold
- Exclusive ProCare Cleaning Cycle
- Front electronic controls with LCD
- 14 place settings
- 45 dB wash noise level
- Functions: 1/2 load, Sanitize, SuperGloss, PowerWash, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- DMFS overflow protection
- Turbidity sensor
- 3 way euro filtering system
- Turbo fan drying system
- FlexiRack™, adjustable upper rack (loaded)
- SmartFold™, upper/lower rack folding tines
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Sliding cutlery basket
- Stainless steel tank and inner door
- H 33-7/8" W 23-1/2" D 22-1/2"



DWT 56502 SS



DWT 56502 FBI

TALL TUB BUILT-IN DISHWASHER

DWT56502SS 24" Fingerprint free stainless steel

DWT5650FBI 24" Panel Ready

FEATURES

- Brushless DC™ motor (induction)
- 6 programs: Pots and pans plus, Pots and pans, Regular Wash, DailyWash, QuickWash, Rinse & Hold
- Exclusive ProCare Cleaning Cycle
- Top electronic controls with LCD
- 14 place settings
- 48 dB wash noise level
- Functions: 1/2 load, Extra Rinse, Sanitize Rapid Clean, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Light Indicator on Floor
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- DMFS overflow protection
- Turbidity sensor
- 3 way euro filtering system
- Condensing drying system
- FlexiRack™, adjustable upper rack (unloaded)
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Sliding cutlery basket
- Stainless steel tank and inner door
- H 33-7/8" W 23-1/2" D 22-1/2"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH



DWT 58500 SS



TALL TUB BUILT-IN DISHWASHER

DWT58500SS 24" Fingerprint free stainless steel

DWT58500SSWS 24" Fingerprint free stainless steel with water softener

FEATURES

- Brushless DC™ motor (induction)
- 8 programs: Pots and pans plus, Pots and pans, Auto Program, MixWash+, Regular Wash, China/Crystal, QuickWash, Rinse & Hold
- Exclusive ProCare Cleaning Cycle
- Top electronic controls with LCD
- 14 place settings
- 45 dB wash noise level
- Functions: 1/2 load, Sanitize, SuperGloss, PowerWash, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Light Indicator on Floor
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- DMFS overflow protection
- Turbidity sensor
- 3 way euro filtering system
- Turbo fan drying system
- FlexiDrawer removable 3rd rack
- FlexiRack™, adjustable upper rack (loaded)
- SmartFold™, upper/lower rack folding tines
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Sliding cutlery basket
- Stainless steel tank and inner door
- H 33-7/8" W 23-1/2" D 22-1/2"



DWT 59500SS



TALL TUB BUILT-IN DISHWASHER

DWT59500SS 24" Fingerprint free stainless steel

DWT59500FBI 24" Panel Ready

FEATURES

- Brushless DC™ motor (induction)
- 9 programs: Pots and pans plus, Pots and pans, Auto Program, MixWash+, Regular Wash, GlassCare, China/Crystal, QuickWash, Rinse & Hold
- Exclusive ProCare Cleaning Cycle
- Top electronic controls with LCD
- 14 place settings
- Indoor illumination
- 42 dB wash noise level
- Functions: 1/2 load, Extra Rinse, Extra Drying, Rapid Clean, Auto tablet detergent
- 3 wash temperatures
- Program follow-up
- Rinse aid indicator
- Light Indicator on Floor
- Time delay (1-24h)
- 5 level wash + 3rd spray arm
- DMFS overflow protection
- Turbidity sensor
- 3 way euro filtering system
- Turbo fan drying system
- FlexiDrawer removable 3rd rack
- FlexiRack™, adjustable upper rack (unloaded)
- SmartFold™, upper/lower rack folding tines
- SmartBALANCE™ front adjust hinge system
- SmartFIT™ front adjustable rear feet
- Lower basket wine glass holder
- Sliding cutlery basket
- Stainless steel tank and inner door
- H 33-7/8" W 23-1/2" D 22-1/2"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

LAUNDRY

MODEL

WIDTH

FINISH



FRONT LOAD WASHER

WM98400SX

24"

White with chrome door rim

FEATURES

- 16 wash cycles*
- Capacity: 2.5 cu.ft
- Optima™ Inverter motor technology
- Euro wash system with internal water heater
- Digital display with dial knob
- Automatic detergent dispensing system
- Automatic water adjustment system
- Unbalance detection system
- Washing load capacity: 10.1 kg (22.3 lb)
- Variable spin speed: Up to 1400 rpm
- Noise level: 52 dB (washing) / 76 dB (spinning)
- Automatic temperature control: Extra hot, hot, warm, cold, tap cold
- Drum material: Stainless steel
- Time delay (1-24h)
- Remaining time indicator
- Program Follower
- Child lock
- Dispensers: Detergent (liquid/powder), bleach, fabric softener
- Voltage / Frequency: 208-240V / 60Hz (15 amps)
- H 33 1/8 x W 23 5/8 x D 24 5/8

* WASH CYCLES

Normal / Reg. Cotton	Wool	Jeans	Rinse
Permanent Press	Drain & Spin	Pet Hair Cleansing	Heavy Soil
Hand Wash	Bedding	Tub Sanitize	Soak
Quick Wash 35'	Jogging Wear	Super Quick 20'	Extra Rinse

HEAT PUMP VENTLESS DRYER

DHP24412W

24"

White with chrome door rim

FEATURES

- 16 dry cycles*
- Capacity: 4.1 cu.ft
- Ventless heat pump technology
- Digital display with dial knob
- Automatic water drain
- Automatic easy ironing
- Reduce static cling
- Dry load capacity: 8 kg (17.7 lb)
- Noise level: 65 dB
- Drum material: Stainless steel
- Interior drum LED lighting
- Reversible door
- Clean filter indicator
- Time delay (0-24h)
- Program follower
- End of cycle buzzer
- Child lock
- Stacking kit included (2985 400 200)
- Voltage / Frequency: 208-240V / 60Hz (5 amps)
- H 33 5/16 x W 23 3/8 x D 24 1/2

* DRY CYCLES

Cottons Damp Dry	Dry	Timed Dry	Wool Protect
Cottons Regular Dry	Bedding	Delicates	Express 45'
Cottons Extra Dry	Air fluff	Baby Protect	Sportswear
Permanent Press Damp	Super Quick 30'	Night (Quiet)	Jeans
Permanent Press Regular			

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WARRANTY

GENERAL WARRANTY FOR ALL APPLIANCES

- 1 year > Full warranty from date of first installation (parts and labor)
- 2 years > Limited warranty from date of first installation (parts only)

EXCEPTIONS

- 5 years > Limited warranty from date of first installation (parts only)
 - Refrigerators only (sealed system)
- Lifetime > Limited warranty from date of first installation
 - Washers and dryers only: drum if rust occurs
 - Dishwashers only: tub if rust occurs

SEE BLOMBERG WARRANTY STATEMENT DETAILS AT

www.blombergappliances.us/warranty-information

- Warranty is void if the product is used commercially.
- Service must be performed by an authorized Blomberg service agency.

PRODUCT GUIDE

2018

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

ADMINISTRATION & WAREHOUSE

2025 Cunard, Laval (QC) H7S 2N1

SHOWROOMS

8210 Devonshire Road, Town of Mount Royal (QC) H4P 2P7

6900 Airport Road (Suite 206), Mississauga (ON) L4V 1E8

PART & SERVICE

service@distinctive-online.com

ORDER DESK

orderdesk@distinctive-online.com