



porterandcharles.ca

Porter&Charles OUR STORY

When we met, the heat was rising over a stock pot of bouillabaisse at the Epicurious Culinary School. An aspiring weekend chef, the handsome Mr. Porter had titillated me in more ways than one, so it was no surprise that sparks flew.

And, apparently, they
weren't coming from
his namesake gas
cooktop.

During class he'd taken off his jacket, rolled up the sleeves of his cuff-linked shirt and sauntered over as

I opened the steam

oven door. In a husky voice, he whispered, "Forget the menu, I'll have what she is having." Soufflé au Chocolat for two!

How could I resist his gourmet charm?

Later, he'd describe me as the kind
of woman who looks good in a

high-end kitchen caressing a chilled
glass of Veuve and wearing nothing
but a pearl necklace and an apron.

Wonder how Mr. Porter likes his eggs? Over Easy?!



It was the start of a perfect private label pairing. My cool Liebherr fridge met his sleek Porter & Charles kitchen and laundry





appliances and it was an energy efficient match made in heaven. Stainless. European. Compact. Efficient. Desirable and Gorgeous... just like the two of us.

Learning to cook with our Porter & Charles appliances was the beginning of a great culinary adventure.









Ovens and Built-ins

A full range of high-performance ovens with an emphasis on design.



Cooktops

An extensive range of cooktops to suit your cooking needs.





Ranges

Hand finished to perfection and built to perform.





Ventilation

Stylish range hoods to compliment all kitchen and cooking needs.





Dishwashing

State-of-the-art performance in the most silent way.





Laundry

The latest in clothes cleaning technology that will fit right into your home.













Sleek and saucy

Not wanting to be dependent on Mr. Porter's design largess, our femme fatale has engaged a kitchen designer to the stars. After all, who doesn't want good guidance and a fresh start? Her golden rules for a kitchen that works:

Put function first. A girl can never have too much counter space. Uncluttered islands are a man's best friend for prep (and eating). And, it's all about the storage... for wine that is!




VISIT OUR NEW RECIPE SITE porterandcharlesrecipes.ca



Stylish cooktops from
Porter & Charles offer efficient
heating and are easy to clean.


Porter&Charles

7

























Hot and steamy

Cooking is like love. It should be entered into with abandon or not at all. But, it takes two to tango so stay tuned to see who will master the steam oven first, or whether Mr. Porter or Ms. Charles comes up with the best new recipes.



VISIT OUR NEW RECIPE SITE porterandcharlesrecipes.ca



Porter & Charles combines steam and convection for healthier, more appetizing meals.

Ovens & Built-ins A full range of top performers.

Let your kitchen be your showpiece! Designed to blend perfectly with all other appliances to enhance the appearance of any kitchen. A selection of single, double, speed and steam ovens and a microwave to suit any cooking need thoughtfully designed to make cooking more enjoyable and efficient, and provide delectable results meal after meal. More than simply a convenient way to defrost food, the speed oven and microwave are multi-function appliances that offer advanced programs such as grilling and convection cooking, and provide cooking results that far exceed the expectations of most microwave ovens.



SOPS60TC - 24" built-in stainless steel and black glass multi-function oven

Features

- 65 litre (2.29 cu. ft.) interior capacity
- 10 cooking functions including True Fan convection
- Retractable control knobs with touch control panel
- Double glazed down fold removable door with removable glass pane
- · Fully automatic digital clock & timer
- Digital display with easy to use retractable control knobs
- Cooking Duration Feature and End Time cooking control
- Black enamel interior for easy cleaning
- 5 rack positions · Child safety lock
- · Bright interior light

Accessories

- · Grill/roasting pan
- · Baking sheet
- 2 chrome oven racks · Telescopic rails
- . Optional: LIE-7427640 Silver cabinet base air ventilation grill

Oven Dimensions

 D: 22^{3/8}" (569mm) x W: 23^{7/16}" (595mm) x H: 231/4" (591mm)

Cut-Out Dimensions

• D: 221/4" (565mm) x W: 221/16" (560mm) x H: 221/4" (565mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 3220W
- Supplied with a 5ft long electrical cable and must be hard wired



STPS60TM - 24" built-in stainless steel multi-function and steam oven

Features

- 38 litre (1.34 cu. ft.) interior capacity
- Steam and convection oven
- 5 cooking functions
- Fingerprint proof stainless frame
- Stainless steel inner cavity
- Digital display with easy to use retractable control knobs
- Bright interior light Safety lock
- Memory function program 3 favourite recipes
- 3 AutoCook functions
- Drop-down grill for easy cleaning
- Fully programmable clock and timer

Steam Oven Functions

• Steam • Convection • Steam + Convection • Grill and Grill + Convection

Accessories

- Water tray Perforated baking tray
- · Baking sheet · Wire rack
- Optional : LIE-7427640 Silver cabinet base air ventilation grill
- Optional: TK455 2 piece stainless steel trim kit designed to accommodate 24" built-in appliances into a 30" cabinet

opening to create a seamless cooking tower

Oven Dimensions

• D: 2015/16" (531mm) x W: 237/16" (595mm) x H: 17^{13/16}" (453mm)

Cut-Out Dimensions

• D: 215/8" (550mm) x W: 221/16" (560mm) x H: 173/4" (451mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 2080W
- Supplied with a 5ft long electrical cable and must be hard wired



SPPS60TM - 24" built-in stainless steel speed oven

Features

- 38 litre (1.34 cu. ft.) interior capacity
- Fold down door
- Microwave, convection, grill modes
- · Fingerprint proof stainless frame
- · Stainless steel inner cavity
- · Digital display with easy to use retractable control knobs
- Children's safety lock
- Memory function program 3 favourite recipes
- 3 AutoCook functions
- · Quick Start button
- Drop-down grill for easy cleaning
- Fully programmable clock and timer

Speed Oven Functions

- Microwave Microwave + Grill
- Grill Microwave + Convection
- Grill + Fan Defrost by Time/Weight

Accessories

- · Circular glass turntable
- Turntable ring and support
- Browning plate
- Rectangular wire rack and glass tray • Optional : LIE-7427640 - Silver cabinet base air ventilation grill
- Optional : TK455 2 piece stainless trim kit to accommodate 24" built-

ins into a 30" cabinet opening to create a seamless cooking tower

Oven Dimensions

• D: 20^{15/16}" (531mm) x W: 23^{7/16}" (595mm) x H: 1713/16" (453mm)

Cut-Out Dimensions

• D: 21^{5/8}" (550mm) x W: 22^{1/16}" (560mm) x H: 17^{1/2} (445mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 3400W
- Supplied with a 5ft long electrical cable and must be hard wired



MWPS60TM - 24" built-in stainless steel microwave with grill

Features

- 38 litre (1.34 cu. ft.) interior capacity
- Fold down door
- Fingerprint proof stainless steel frame
- · Downfold removable door
- · Stainless steel inner cavity
- Digital display with easy to use retractable control knobs
- · Children's safety lock
- Memory function program 3 favourite recipes
- Drop-down grill for easy cleaning
 Fully programmable cleak and time
- Fully programmable clock and timer

Accessories

- Circular glass turntable
- Turntable ring and support
- Browning plate
- High grill rack
- · Low grill rack
- Optional : LIE-7427640 Silver cabinet base air ventilation grill
- Optional: TK455 2 piece stainless steel trim kit designed to accommodate 24" built-in appliances into a 30" cabinet opening to create a seamless cooking tower

Functions

- Microwave
- Microwave + Grill
- Grill
- · Defrost by Time + Weight

Oven Dimensions

 D: 18^{15/16}" (465mm) x W: 23^{7/16}" (595mm) x H: 17^{13/16}" (4<u>53mm)</u>

Cut-Out Dimensions

• D: 21^{5/8}" (550mm) x W: 22^{1/16}" (560mm) x H: 17^{1/2}" (445mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 3300W
- Supplied with a 5ft long electrical cable and must be hard wired



TVLB60: 24" built-in TV mount

TV Mount Features

- 24" built-in black glass TV lift door
- Heavy duty metal lift door components
- · Push to open door
- Useable storage cavity behind lift door

TV Features

- 19" LED TV
- 150 Hz refresh rate

- 2 HDMI ports
- 1 USB port
- 1 component
- 1 composite AV
- ConnectShare enjoy content from a USB key
- DTS enabled speakers

Accessories

- Easily removable wire management
- TV remote control

 User to provide their own media hookup (cable, PC, media PC, USB, or any other compatible media device)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with North American cord and plug



DOPS60EL - 24" built-in multi-function double oven

Features

- 92 litre (3.24 cu. Ft.) interior capacity per oven
- 10 cooking functions including True Fan convection in top oven
- 5 cooking functions in bottom ovenLCD touch display with electronic
- temperature control

 Triple glazed down fold removable
- Excellent heat stability and insulation

- Digital clock and timer
- Black enamel interior for easy cleaning

Accessories

- Grill/roasting pan
- Reversible grill insert
- 2 chrome oven racks
- Optional : LIE-7427640 Silver cabinet base air ventilation grill

Oven Dimensions

• D: 21^{7/8}" (555 mm) x W: 23^{5/8}" (600 mm) x H: 45^{1/16}" (1144 mm)

Cut-Out Dimensions

• D: min. 22^{1/16}" (560mm) x W: min. 22^{3/16}" (564mm) x H: 44^{3/4}" (1137mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- Supplied with a 5ft long electrical cable and must be hard wired



SOPS76-TM – 30" stainless steel built-in multi-function oven

Feature

- 120L (4.3 cu. ft) interior capacity
- 9 cooking functions including True
 Fan Convection
- Heat-activated catalytic liners for a continuous clean
- Hot air cooking technology for perfect cooking
- Fully automatic digital clock and timer
 Cooking Duration Feature and
- End Time cooking controlOven power indicator and temperature pilot light

- Metric and imperial baking chart on inside of door
- Soft close door closing technology
- 5 shelf positions
- Cooling fan

Accessories

- Accessories
- Grill/roasting panReversible grill insert
- 2 chrome oven racks
- Full extension telescopic rails (1 pair)
- Optional : LIE-7427640 Silver cabinet base air ventilation grill

Oven Dimensions

• D: 22^{3/4}" (578 mm) x W: 29^{3/4}" (756 mm) x H: 24" (H: 610 mm)

Cut-out Dimensions

• D: min. 22^{1/4}" (565 mm) x W: 28^{7/16}" (723 mm) x H: 24^{3/16}" (614 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 30 amp
- Supplied with a 5ft long electrical cable and must be hard wired

COOKTODS Advanced technology combined with style.

Induction: Induction cooktops offer fast and responsive cooking; the cookware itself becomes the heat conductor and becomes hot, while the smooth ceramic surface remains safe because it does not produce any heat. When the pot is removed from the surface, the cooking stops. Energy is saved as only the exact amount needed for cooking is used and cleaning is easier because grease and food residues do not "bake" onto the ceramic glass. Made from resilient, high quality ceramic glass it is a beautiful complement to any kitchen style. These cooktops are incredibly quick, have more flexible control than gas, are easier to clean, and extremely safe.



CI30V: 12" induction cooktop

Features

- 2 induction zones
- 9 power levels with Power Boost
- · Black ceramic with beveled edges
- · Touch control panel
- · Automatic switch off
- · Child safety lock
- Smart Pause
- · Count-down timer

- · Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/2}" (520mm) x W: 11^{7/16}" (290mm)

Cut-Out Dimensions

• D: 19^{5/16}" (490mm) x W: 10^{5/8}" (270mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 3600W
- Supplied with a 5ft long electrical cable and must be hard wired



CI60V: 24" induction cooktop

Features

- 4 induction zones
- 9 power levels with Power Boost
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- · Touch control panel
- · Automatic switch off
- · Child safety lock

- Smart Pause
- Count-down timer
- · Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/2}" (520mm) x W: 23^{1/4}" (590mm)

Cut-Out Dimensions

• D: 19^{5/16}" (490mm) x W: 22^{1/16}" (560mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 7400W
- Supplied with a 5ft long electrical cable and must be hard wired



CI76V: 30" induction cooktop

Feature

- 4 induction zones
- 9 power levels with Power Boost
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- Touch control panel
- Automatic switch off
- Child safety lock
- Smart Pause
- Count-down timer

- Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions


• D: 20^{9/16}" (522mm) x W: 30^{3/4}" (781mm)

Cut-Out Dimensions

• D: 19^{5/16}" (490mm) x W: 29^{1/2}" (750mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 7400W
- Supplied with a 5ft long electrical cable and must be hard wired



CI90V: 36" induction cooktop

Features

- 5 induction zones
- 9 power levels with Power Boost
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- Touch control panel
- · Automatic switch off
- Child safety lockSmart Pause
- Count-down timer

- Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/2}" (520mm) x W: 35^{1/4}" (895mm)

Cut-Out Dimensions

• D: 19^{3/16}" (487mm) x W: 33^{1/4}" (845mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 10800W
- Supplied with a 5ft long electrical cable and must be hard wired



Gas: Porter & Charles special gas burner design produces a clean and perfect flame. They come in a range of sizes and BTU's for cooking flexibility and precision. With the UltraFlat stainless steel design, these cooktops will integrate beautifully into any kitchen design.



CG60WOK-F: 24" gas cooktop

Feature

- 4 high quality gas burners
- Continuous cast iron support grates
- Cast iron wok support ring
- UltraFlush stainless steel design
- Ergonomically placed control knobs
- Electronic ignition
- Flame failure safety system
- Shallow depth allows for easy install over drawers or an oven

Performance

- 1 x double ring wok burner
- 13,600 BTU
- 2 x semi-rapid burner 8,000 BTU
- 1 x true simmer burner 5,000 BTU down to 600 BTU

Cooktop Dimensions

• D: 20" (508mm) x W: 23^{3/16}" (589mm)

Cut-Out Dimensions

• D: 19" (483mm) x W: 22^{13/16}" (580mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with 5ft electrical cord and plug



CG76WOK-F: 30" gas cooktop

Features

- 5 high quality gas burners
- Continuous cast iron support grates
- Cast iron wok support ring
- UltraFlush stainless steel design
- Ergonomically placed control knobs
- Electronic ignition
- Flame failure safety system
- Shallow depth allows for easy install over drawers or an oven

Performance

- 1 x double ring wok burner 17,500 BTU
- 1 x rapid burner 11,500 BTU
- 2 x semi-rapid burner 8,000 BTU
- 1 x true simmer burner 5,000 BTU down to 600 BTU

Cooktop Dimensions

• D: 20" (508mm) x W: 29^{5/8}" (752mm)

Cut-Out Dimensions

• D: 19" (483mm) x W: 28^{1/4}" (717mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with 5ft electrical cord and plug



CG90WOK-F: 36" gas cooktop

Feature:

- 5 high quality gas burners
- · Continuous cast iron support grates
- · Cast iron wok support ring
- UltraFlush stainless steel design
- Ergonomically placed control knobs
- Electronic ignition
- Flame failure safety system
- Shallow depth allows for easy install over drawers or an oven

Performance

- 1 x double ring wok burner
- 17,500 BTU
- 1 x rapid burner 11,500 BTU
- 2 x semi-rapid burner 8,000 BTU
- 1 x true simmer burner 5,000 BTU down to 600 BTU

Cooktop Dimensions

• D: 20" (508mm) x W: 35^{1/16}" (890mm)

Cut-Out Dimensions

• D: 19" (483mm) x W: 33^{7/8}" (860mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with 5ft electrical cord and plug



Porter&Charles

2

Electric: The single sheet of high quality black ceramic glass gives your kitchen a streamlined look. The flexible cooking zones provide you with a variety of cooking options. Electronic touch controls ensure precise heat selection and the highlight zone heats up in less than 5 seconds; saving both time and energy.



CC30S/K: 12" electric cooktop

Features

- 2 Hi-Lite zones with quick heating elements
- 9 power levels
- Black ceramic with stainless steel trim
- Chrome control knobs
- · Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/16}" (510mm) x W: 11^{3/8}" (290mm)

Cut-Out Dimensions

• D: 19^{1/4}" (490mm) x W: 10^{5/8}" (270mm)

Electrical Requirements

- 208/240 volt, 60Hz, 20 amp, 3000W
- Supplied with a 5ft long electrical cable and must be hard wired



CCK60: 24" electric cooktop

Features

- 4 Hi-Lite zones with quick heating elements
- 9 power levels
- Black ceramic with stainless steel trim
- Chrome control knobs
- · Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/4}" (515mm) x W: 23^{1/16}" (585mm)

Cut-Out Dimensions

• D: 19^{1/4}" (490mm) x W: 22^{3/64}" (560mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 6000W
- Supplied with a 5ft long electrical cable and must be hard wired



CC60V: 24" electric cooktop

Feature

- 4 Hi-Lite zones with quick heating elements
- 9 power levels
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- Touch control panel
- Child safety lock

- Smart Pause
- Count-down timerResidual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{1/2}" (521mm) x W: 23^{5/16}" (592mm)

Cut-Out Dimensions

• D: 19^{1/16}" (485mm) x W: 22^{5/16}" (567mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 6000W
- Supplied with a 5ft long electrical cable and must be hard wired



CC76V: 30" electric cooktop

Features

- 4 Hi-Lite zones with quick heating elements and 1 expandable cooking zone
- 9 power levels
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- · Touch control panel

- · Child safety lock
- Smart Pause
- Count-down timerResidual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{9/16}" (522mm) x W: 30^{3/4}" (781mm)

Cut-Out Dimensions

• D: 19^{13/16}" (503mm) x W: 29^{13/16}" (758mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 6400W
- Supplied with a 5ft long electrical cable and must be hard wired



CC90-2: 36" electric cooktop

Features

- 5 Hi-Lite zones with quick heating elements with 2 expandable burners
- 9 power levels
- Black ceramic with beveled edges front and back, stainless steel sides to prevent chipping
- Touch control panel
- Child safety lock

- Smart Pause
- Count-down timer
- Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

Cooktop Dimensions

• D: 20^{3/16}" (512mm) x W: 35^{7/16}" (900mm)

Cut-Out Dimensions

• D: 19^{5/16}" (490mm) x W: 33^{3/4}" (858mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp, 8600W
- Supplied with a 5ft long electrical cable and must be hard wired

Ranges Hand finished to perfection and built to perform.

Porter & Charles ranges offer exceptional quality and performance. Aesthetic highlights include clean lines and attention to detail, from the ergonomic handle to the interior light. Hand assembled and hand finished using the highest quality stainless steel, the quality is not only visual but can be felt. All ranges were designed with the user in mind, with features to make cooking more enjoyable and clean-up as simple as possible.



Dual Fuel Ranges



FEG60B2

24" (60cm) stainless steel slide-in dual fuel range

Features

- 63L (2.22cu.ft) oven capacity
- 9 cooking functions including True Fan convection for perfect cooking
- Triple glazed door
- Heat-activated continuous clean catalytic liners
- 4 sealed gas burners with cast iron grates
- Fully programmable clock/timer with delay start & finish
- Includes LPG conversion kit
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 24" (610 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- Supplied with range cord and plug



FEG76B3

30" (76cm) stainless steel dual fuel range

Features

- 105L (3.8cu.ft) oven capacity
- 9 cooking functions including True Fan convection for perfect cooking
- Double glazed removable door
- 5 sealed gas burners
- Heat-activated continuous clean catalytic liners
- Continuous cast iron grates
- Metric and imperial baking chart on inside of door
- Full extension telescopic rails
 Fully programmable clock/timer with delay start & finish
- Warming drawer, 30L (1.06cu.ft) capacity
- Adjustable leg height and flush with cabinets
- Includes LPG conversion kit

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 30" (762 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- Supplied with range cord and plug



FEG90B3

36" (90cm) stainless steel dual fuel range

Features

- 120L (4.3cu.ft) oven capacity
- 9 cooking functions including True Fan convection for perfect cooking
- Double glazed removable door
- 5 sealed gas burners with cast iron grates
- Heat-activated continuous clean catalytic liners
- Metric and imperial baking chart on inside of door
- Full extension telescopic rails
- Fully programmable clock/timer with delay start and finish
- · Warming drawer
- Includes LPG conversion kit
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 35^{1/2}" (900 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- Supplied with range cord and plug



Porter&Charles

20

Electric Ranges



FEC60B2

24" (60cm) stainless steel slide-in electric range

Features

- 63L (2.22cu.ft) oven capacity
- 9 cooking functions including True Fan Convection
- Triple glazed door
- Heat-activated continuous clean catalytic liners
- 4 electric burners, 2 expandable
- Residual heat indicator
- Fully programmable clock/timer with delay start & finish
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 24" (610 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- · Supplied with range cord and plug



FEC76B

30" (76cm) stainless steel slide-in electric range

Features

- 105L (3.8 cu.ft) oven capacity
- 9 cooking functions including True Fan Convection
- Double glazed removable door
- Heat-activated continuous clean catalytic liners
- 4 electric burners, 2 expandable
- · Residual heat indicator
- Metric and imperial baking chart on inside of door
- Full extension telescopic rails
- Fully programmable clock/timer with delay start & finish
- · Warming drawer
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 30" (762 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- · Supplied with range cord and plug



FEC90B3

36" (90cm) stainless steel slide-in electric range

reatures

- 120L (4.3cu.ft) oven capacity
- 9 cooking functions including True
 Fan Convection
- Double glazed removable door
- Heat-activated continuous clean catalytic liners
- 5 electric burners, 2 expandable
- · Residual heat indicator
- Metric and imperial baking chart on inside of door
- Full extension telescopic rails
- Fully programmable clock/timer with delay start & finish
- Warming drawer
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 35^{1/2}" (900 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- · Supplied with range cord and plug

Induction Ranges



FEC-IR76S

30" (76cm) stainless steel slide-in induction range

Conturo

- 105L (3.8 cu.ft) oven capacity
- 9 cooking functions including True Fan Convection
- Double glazed removable door
- Heat-activated continuous clean catalytic liners
- 4 induction burners
- Residual heat indicator
- Metric and imperial baking chart on inside of door
- Full extension telescopic rails
- Fully programmable clock/timer with delay start & finish
- · Soft close door closing technology
- Warming drawer
- Adjustable leg height and flush with cabinets

Range Dimensions

• D: 25^{3/16}" (640 mm) x W: 30" (762 mm) x H: 36" (900-920 mm)

Electrical Requirements

- 208/240 volt, 60Hz, 40 amp
- Supplied with range cord and plug

IF A MAN SPEAKS
IN THE FOREST
AND THERE IS NO
WOMAN TO HEAR
HIM...IS HE
STILL WRONG?

Ventilation Stylish top performers.

Our sleek, stainless steel rangehoods incorporate advanced features and functionalities designed to exhaust airborne grease, fumes, heat, steam and cooking odors quickly and easily. By removing excess heat and humidity from your kitchen, you create a much more comfortable environment and keep your walls and cabinets clean.



Insert-24

Features

- 24" stainless steel built-in range hood insert
- LED lighting
- 3 speed adjustment
- · Electronic back-lit push buttons
- 1 x dishwasher safe metal mesh filter
- Quiet 300 CFM motor
- 115 volt, 60Hz, 15 amp, supplied with cord and plug

Optional Accessories

- CF-A: charcoal filters for re-circulating option
- PF-A1 : replacement metal mesh filter



Insert-30

Features

- 30" stainless steel built-in range hood insert
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 2 x dishwasher safe metal mesh filters
- Quiet 300 CFM motor
- 115 volt, 60Hz, 15 amp, supplied with cord and plug

Optional Accessories

- CF-A: charcoal filters for re-circulating option
- PF-A2 : replacement metal mesh filter



T-Shape30

Features

- 30" stainless steel T-shaped wall-mount range hood
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 2 x dishwasher safe perforated filters
- Quiet 500 CFM motor
- 115 volt, 60Hz, 15 amp, supplied with cord and plug

Optional Accessories

- EFTGW-P&C : 2 piece high ceiling extension flue
- PF-B1 : replacement perforated filter



Pyramid-30

Features

- 30" stainless steel pyramid shaped wall-mount range hood
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 2 x dishwasher safe perforated filters
- Quiet 500 CFM motor
- 115 volt, 60Hz, 15 amp, supplied with cord and plug

Optional Accessories

- EFP-P&C 2 piece high ceiling extension flue
- CF-B charcoal filters for re-circulating option
- PF-B1 : replacement perforated filter



Pyramid-36

Features

- 36" stainless steel pyramid shaped wall-mount range hood
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 3 x dishwasher safe perforated filters
- Quiet 500 CFM motor
- 115 volt, 60Hz, 15 amp, supplied with cord and plug

Optional Accessories

- EFP-P&C : 2 piece high ceiling extension flue
- CF-B: charcoal filters for re-circulating option
- PF-B1 : replacement perforated filter

DISHWAShers State-of-the-art performance in the most silent way.

Delivering state-of-the-art performance without compromise, regardless of size. These European, ENERGY STAR® rated dishwashers are designed to provide the best possible results for cleanliness, shine, dryness, time, noise, water and energy consumption.





DW4SS

Features

- 24" (60cm) wide stainless steel dishwasher
- Compact 18" (45cm) high
- · Stainless steel interior
- 7 programs with top hidden controls
- · 4 place setting capacity
- In-Line water heating element (cold water intake)
- ENERGY STAR® rated
- Near silent operation
- · Easy install under FRANKE sink

Dishwasher Dimensions

• D: 19^{11/16}" (500mm) x W: 23^{1/4}" (590mm) x H: 17^{15/64}" (438mm)

Cut-Out Dimensions

• D: 21^{5/8}" (550mm) x W: 21^{7/8}" (555mm) x H: 18" (457mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with North American cord and plug



DW4FI

Features

- 24" (60cm) wide fully integrated dishwasher
- Custom panel and handle required
- Compact 18" (45cm) high
- · Stainless steel interior
- 7 programs with top hidden controls
- 4 place setting capacity
- In-Line water heating element (cold water intake)
- Near silent operation
- ENERGY STAR® rated
- Easy install under FRANKE sink

Dishwasher Dimensions

• D: 19^{11/16}" (500mm) x W: 23^{1/4}" (590mm) x H: 17^{15/64}" (438mm)

Cut-Out Dimensions

• D: 21^{5/8}" (550mm) x W: 21^{7/8}" (555mm) x H: 18" (457mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp
- Supplied with North American cord and plug



DW18PCFI

Features

- 18" wide fully integrated dishwasher
- Custom panel and handle required
- Stainless steel interior tank
- Top hidden control panel
- 6 programs
- 8 place setting capacity
- Delay timer up to 9 hours
- In-Line water heating element (cold water intake)
- Eco Sensor monitors water quality and adjusts water consumption accordingly
- Internal water softener
- ENERGY STAR® rated
- Near silent operation

Dishwasher Dimensions

• D: 21^{21/32}" (550mm) x W: 17^{19/32}" (447mm) x H: 32^{1/4}" (817mm) – 34^{1/4}" (870mm)

Cut-Out Dimensions

• D: 21^{21/32}" (550mm) x W: 17^{19/32}" (447mm) x H: 32^{1/4}" (817mm) – 36^{1/4}" (920mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp, 1300W
- Supplied with North American cord and plug



DWTPC5FCSS

Features

- 24" wide stainless steel tall tub dishwasher
- Stainless steel interior
- Stainless steel front control panel
- 5 programs
- 12 place setting capacity
- Delay timer up to 9 hours
- In-Line water heating element (cold water intake)
- ENERGY STAR® rated
- Near silent operation

Dishwasher Dimensions

• D: 24" (610mm) x W: 23^{9/16}" (598mm) x H: 33^{7/16}" (850mm) – 36^{1/4}" (920mm)

Cut-Out Dimensions

- D: 24" (610mm) x W: 24" (610mm) x H: 33^{7/16}" (850mm) – 36^{1/4}"
- (920mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp, 1300W
- Supplied with North American cord and plug



DWTPC10SS

Features

- 24" wide stainless steel tall tub dishwasher
- Stainless steel interior
- Top hidden control panel
- 10 programs
- Delay timer up to 9 hours
- In-Line water heating element (cold water intake)
- 12 place setting capacity
- ENERGY STAR® rated
- Near silent operation

Dishwasher Dimensions

• D: 24" (610mm) x W: 23^{9/16}" (598mm) x H: 33^{7/16}" (850mm) – 36^{1/4}" (920mm)

Cut-Out Dimensions

• D: 24" (610mm) x W: 24" (610mm) x H: 33^{7/16}" (850mm) – 36^{1/4}" (920mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp, 1300W
- Supplied with North American cord and plug



DWTPC10FI

Features

- 24" (60cm) wide fully integrated tall tub dishwasher
- Custom panel and handle requiredStainless steel interior
- Top hidden control con
- Top hidden control panel
- 10 programs
- Delay timer up to 9 hours
- In-Line water heating element (cold water intake)
- 12 place setting capacity
- ENERGY STAR® rated
- Near silent operation

Dishwasher Dimensions

• D: 24" (610mm) x W: 23^{9/16}" (598mm) x H: 33^{7/16}" (850mm) – 36^{1/4}" (920mm)

Cut-Out Dimensions

• D: 24" (610mm) x W: 24" (610mm) x H: 33^{7/16}" (850mm) – 36^{1/4}" (920mm)

Electrical Requirements

- 115 volt, 60Hz, 15 amp, 1300W
- Supplied with North American cord and plug

Laundry Euro-efficient, for best results.

Our unique washer and dryer combo is designed to give you more free time. Load the machine, set to wash+dry and come back to clean, dry clothes.



COMBI9-6

Features

- 24" (60cm) 2-in-1 combination washer/dryer
- Wash and dry your clothes in one cycle or select one of the many wash only programs and dry only programs
- · 9kg washing capacity
- 6kg drying capacity
- Condensation dryer, automatically drained
- Quiet operation
- Wash 58 dBa
- Spin 77 dBa
- Dry 64 dBa

• Universal motor with DC drive

- Cold water intake machine heats water to 90°C
- 60 litre drum volume
- Full graphic LCD display with touch buttons
- 3D load sensor
- 1400 RPM spin speed
- Active Jet® washing system

COMBI9-6 Dimensions

• D: 24" (610mm) x W: 23^{5/8}" (600mm) x H: 33^{1/2}" (850mm)

Cut-Out Dimensions

• D: 24" (610mm) x W: 24" (610mm) x H: 34^{1/2}" (876mm)

Electrical Requirements

- 208/240 volt, 60Hz, 15 amp
- Supplied with 250 volt/15 amp cord and plug
- NEMA 6-15R required

MY IDEA OF GETTING LUCKY IS HAVING SOMEONE ELSE DO THE LAUNDRY.



One-Piece Microwave Trim Kits Made to fit.

Porter & Charles offers microwave trim kits so that freestanding microwaves can achieve the built-in look. Fabricated in stainless steel, these trim kits are available in 24" and 30" cabinet widths to provide a custom finish.



MWTK60SS - 597mm x 383mm

Features

- Creates an integrated look for your microwave in a 24" cabinet opening
- · Works well in a tower application over
- an oven or under the countertop
- Accepts Panasonic 1.6 cu. ft. microwave NNSD786S or equivalent



MWTK60-362 - 597mm x 362mm

Feature

- Creates an integrated look for your microwave in a 24" cabinet opening
- For use in most European
- manufactured cabinetry
- Works well in a tower application over an oven or under the countertop
- Accepts Panasonic 1.6 cu. ft. microwave NNSD786S or equivalent



MWTK76 - 758mm x 383mm Features

- Creates an integrated look for your microwave in a 30" cabinet opening
- Works well in a tower application over an oven or under the countertop

 output
- Accepts Panasonic 1.6 cu. ft. microwave NNSD986S or equivalent



MWTK76/9 - 758mm x 383mm Features

- Creates an integrated look for your microwave in a 30" cabinet opening
- Works well in a tower application over an oven or under the countertop
- Accepts Panasonic 2.2 cu. ft. microwave NNSD986S or equivalent

Over-the-Range Microwave sleek and efficient.



EM044K10 (MICROVENT)

Features

- 30" over-the-range microwave and range hood
- Fan automatically turns-on when heat is detected
- 300 CFM fan with 2 speed adjustment
- 1.6 cu. ft. capacity
- 10 power levels
- 10 program functions
- Digital touch control panel
- Can be set to recirculating mode
- 115 volt, 60Hz, 15 amp, supplied with cord and plug



Warming Drawers Keep food safe and warm.

The perfect solution for multi-tasking. Not only will it warm your plates, the Keep Warm function maintains a set temperature of 80°C – ideal for keeping food warm until ready to serve without drying the food out.

OF COURSE
SIZE MATTERS.
NO ONE WANTS
A SMALL PIZZA!



WD60-14

Features

- 24" wide stainless steel warming drawer and handle
- 4 programs (defrost, proofing dough, crockery warming, food warming)
- 51/2" (14cm) high
- 6 place setting capacity

Warming Drawer Dimensions


• D: 21^{1/16}" (535mm) x W: 23^{3/8}" (594mm) x H: 5^{1/2}" (140mm)

Cut-Out Dimensions

• D: 23^{5/8}" (600mm) x W: 23^{5/8}" (600mm) x H: 5^{13/16}" (148mm)

Electrical Requirements

- 220v, 15amp, 60Hz
- Supplied with a 6.5ft cord and plug
- NEMA 6-15R required



WD60-21

Features

- 24" wide stainless steel warming drawer and handle
- 4 programs (defrost, proofing dough, crockery warming, food warming)
- 8.2" (21cm) high
- 9 place setting capacity

Warming Drawer Dimensions

• D: 21^{1/16}" (535mm) x W: 23^{3/8}" (594mm) x H: 8^{3/16}" (208mm)

Cut-Out Dimensions

• D: 23^{5/8}" (600mm) x W: 23^{5/8}" (600mm) x H: 8^{7/16}" (215mm)

Electrical Requirements

- 220v, 15amp, 60Hz
- Supplied with a 6.5ft cord and plug
- NEMA 6-15R required



WD60-29

Features

- 24" wide stainless steel warming drawer and handle
- 4 programs (defrost, proofing dough, crockery warming, food warming)
- 11.4" (29cm) high
- 12 place setting capacity

Warming Drawer Dimensions

• D: 21^{1/16}" (535mm) x W: 23^{3/8}" (594mm) x H: 11^{7/16}" (290mm)

Cut-Out Dimensions

• D: 23^{5/8}" (600mm) x W: 23^{5/8}" (600mm) x H: 11^{9/16}" (293mm)

Electrical Requirements

- 220v, 15amp, 60Hz
- Supplied with a 6.5ft cord and plug
- NEMA 6-15R required



WD76-25

Features

- 30" wide stainless steel warming drawer
- Touch-open : no handle
- 4 programs (defrost, proofing dough, crockery warming, food warming)
- 9.8" (25cm) high
- 15 place setting capacity

Warming Drawer Dimensions

• D: 21^{5/16}" (541mm) x W: 29^{13/16}" (758mm) x H: 9^{3/8}" (238mm)

Cut-Out Dimensions

• D: 23^{5/8}" (600mm) x W: 29^{13/16}" (758mm) x H: 10" (254mm)

Electrical Requirements

- 115v, 15amp, 60Hz
- · Supplied with a 6.5ft cord and plug
- NEMA 6-15R required



Induction Cookware From Mr. Porter's private collection.

These high-quality stainless steel pots + pans are ideal for your induction cooktop, but are also suitable for all heat sources (gas, electric, ceramic). Stylish, multi-functional and easy to clean cooking accessories complete your kitchen.



KETTLE-SS

2.5L stainless steel induction kettle



PAN-11SS

11" stainless steel induction frying pan



POT-6SS

3 quart stainless steel induction pot with lid



WIS-2123

Chef's Design Gourmet Griddle & Grill Pan with Grill Press



POT-10SS

6.7 quart stainless steel induction pot with lid



WIS-2360

Chef's Design Gourmet Specialty Pan & Buffet Server



PAN-10SS

10" stainless steel induction frying pan

Non-Stick Griddles Mr. Porter's finest accessories.

Crafted from premium hand-cast non-stick aluminum for superb heat conduction with a generous size to make cooking large meals on gas and electric cooktops easy. The Excalibur® non-stick cooking surface makes clean-up easy, and these griddles will perfectly thaw food in half the time.



WIS-3230

Chef's Design Maxi Double Burner Griddle



WIS-6040

Chef's Design Side-by-Side Burner Griddle/Grill




WIS-3540

Chef's Design Ribbed Double Burner Griddle



WIS-6050

Chef's Design Ultimate Double Burner Griddle



WIS-3560

Chef's Design 2-in-1 Reversible Griddle

20

Forever New Love your clothes.

For over 25 years, Forever New Fashion Care has developed and produced laundry detergent for front loading washers. Using plant-derived, natural biodegradable ingredients Forever New® laundry detergent is gentle on your clothing, gentle on your skin, and gentle on the planet making them the clothing care experts.

Committed to gentle, effective cleaning, Forever New® will always be made with:

- Eco-friendly, plant-based, biodegradable cleansers
- · Naturally derived essential oils

- Free of parabens, phthalates, SLES and dyes
- · And never tested on animals



FEN-2800

- Forever New® Soft Scent Powder
- 3 KG Re-sealable Pouch, 96 Loads



FEN-2303

- Forever New® Soft Scent Powder
- 1 KG Re-sealable bottle, 32 Loads



FEN-2312

- Forever New® Unscented Powder
- 1 KG Re-sealable bottle, 32 Loads



FEN-2245

- Forever New® Soft Scent Powder
- 450g, Re-sealable bottle, 15 Loads



FEN-2500

- Forever New® Soft Scent Liquid Detergent
- 910ML Re-sealable bottle, 30 Loads




FEN-2505

- Forever New® Unscented Liquid Detergent
- 910ML Re-sealable bottle, 30 Loads



FEN-2900

- Forever New® Laundry Room Tin
- Stylish metal tin with lid to store powder laundry detergent
- Convenient scoop located on side on tin to measure correct quantity





FEN-2320-WHT

- Pure Wool Tumble Dryer Balls (set of 3)
- Handmade from 100% premium virgin wool roving and then felted to ensure they will not leave fluff on your laundry
- A gentle alternative to chemical dryer sheets and fabric softener
- Softens clothes and reduces wrinkling for faster ironing
- Tumblers lift and separate clothing which increases the flow of air between items
- Saves time/money by cutting drying time by 20-30% and dryer balls last for 1000+ loads



FEN-2910 - Forever New® Gift Pack

- ** Best Value **
- Forever New® Soft Scent Powder, 3 KG Re-sealable Pouch, 96 Loads
- Forever New® Laundry Room Tin
- Pure Wool Tumble Dryer Balls (set of 3)



FEN-4008 + FEN-4014

- 100% polyester wash bags
- Strong, unique weave designed to let water in and dirt out
- Ideal for hosiery, socks, scarves, and delicate items of clothing
- Two sizes large (4008) and x-large (1014)



FEN-4020 + FEN-4030

- Bra Bather Wash Bag with padded mesh
- Prevent bra hooks from snagging other clothes and avoids underwire in the bras from coming loose in the wash
- Using a gentle cycle with a bra bather can be as gentle as hand washing
- Two sizes standard A-C cup (FEN-4020) and large D+ cup (FEN-4030)





Porter&Charles

To find out more, and to see for yourself, visit porterandcharles.ca, or a premium appliance retailer.

OK THEN...

LET'S HAVE
A MOMENT OF
SILENCE FOR OUR
OLD APPLIANCES

Euro-Line Appliances is the distributor of smart kitchen products by AEG, Liebherr, Porter & Charles, Smeg and Franke. They marry energy efficiency and green manufacturing with large capacities to maximize any kitchen, laundry room or wine cellar down to the last square foot.

EURO-LINE APPLIANCES INC.

871 Cranberry Court
Oakville, ON L6L 6J7 Canada
905 829 3980
1 800 421 6332

euro-line-appliances.com



EURO-LINE APPLIANCES WEST INC.

2912 West 4th Avenue Vancouver, BC V6K 1R2 Canada 604 235 3980 1 855 ELA WEST (352 9378)







