

ARC CHENG ESSENTIALS

ZEPHYR



ZEPHYR VENTILATION COLLECTIONS

THIS IS ZEPHYR,


A company driven by the idea that everything in the home is an opportunity for personal expression. That's why we've raised the kitchen hood to its rightful place as a distinctive design element that also delivers powerful performance.



ZEPHYR VENTILATION

BOLD SOLUTIONS

Partnering with some of the most renowned designers we've crafted a collection that is not only design driven but also contains the very latest in innovative & efficient technology. The Arc, Cheng, and Essentials Collections offer a unique combination of performance driven technology and unique design.



OUR COLLECTIONS

THE COLLECTIONS

We think you'll find that our Arc, Cheng, and Essentials Collections offer the ultimate combination: performance driven technology and peerless design.

P. 7



ARC

P. 33



CHENG

P. 45



ESSENTIALS



ARC COLLECTION





Transformative. Revolutionary. Game Changing. Statements like these have followed Robert Brunner throughout his career—initially as founder of Apple’s first industrial design group and today as co-founder of Ammunition Design Group, offering product, identity and interaction design to many U.S. and international clients. His work is included in the permanent collections of The Museum of Modern Art in both New York and San Francisco.

Robert’s passion for fusing lifestyle and innovation is evident in his work as a designer of the Williams-Sonoma Smart tools, the BEATS headset in collaboration with Dr. Dre—and now, as the designer behind the Arc Collection.

CUSTOM DESIGN OPTIONS

Glass, Steel and Air. Minimalism is more than a box. It's elemental.



Glass Surface Options


Black, white or striking red glass available on select models.

Color Code Reference:

RAL 3000 - Red Horizon, Red Plane

RAL 9011 - Black Horizon, Layers Island, Layers Wall and Wave

RAL 9010 - White Horizon, Layers Island, Layers Wall and Wave



Etched Pattern Options

Select a leaf motif on white glass or flower pattern on black glass applied to the removable front panel. Available for Horizon Wall.

DUO

WALL

DESIGNER:
ROBERT BRUNNER

An ideal duo of materials, Duo can be paired with a wood overlay using our template as the guide. Or if you prefer the simplicity of a slim profile of stainless steel canopy, keep the Duo

Wall as-is; for the stylish, and contemporary kitchen. Now available with a tri-level LED light strip.

MODEL	ADU-M90ASX Stainless Steel
Size	36"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000



Sones	1.4-6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	LED Strip
Tri-Level Lighting	Yes
Filters	Decorative Mesh
Recirculating	Yes
Extension Duct Cover	Yes

DUCT SPECIFICATIONS

Vertical Internal	6"
Vertical In-Line/External	10" to 8"***
Horizontal	NA

OPTIONAL ACCESSORIES

Recirculating Kit	ZRC-01LA
Extension Duct Cover (12' ceiling)	Z1C-00LA
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.

**CleanAir turns your hood on once every four hours for 10 minutes on speed one.

***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

HORIZON

WALL

DESIGNER:
ROBERT BRUNNER

A sweeping yet low-profile panel rests just inches from the kitchen wall—and this stunning hood is customizable with several

unique options including sleek colors and beautiful etched glass designs.


MODEL	AHZ-M90ABX Black Glass AHZ-M90ARX Red Glass AHZ-M90AWX White Glass
--------------	--

Size	36"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000

Sones	1.4–6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	Halogen
Tri-Level Lighting	Yes
Filters	Decorative Mesh
Recirculating	Yes
Extension Duct Cover	Yes

DUCT SPECIFICATIONS	
Vertical Internal	6"
Vertical In-Line/External	10" to 8"***
Horizontal Internal	6"
Horizontal In-Line/External	10" to 8"***

OPTIONAL ACCESSORIES	
Recirculating Kit	ZRC-00HZ
Extension Duct Cover – short (8'-9' ceiling)	Z1C-00HZ
Extension Duct Cover – long (9'-10' ceiling)	Z1C-01HZ
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)
Black Glass, Flower Pattern	AHG-00BL
White Glass, Leaf Pattern	AHG-00WH



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.




INCLINE

WALL

Vertical style ventilation at its finest. The Incline wall hood brings clean lines and a touch of chic to your transitional, minimal or modern kitchen. Cook away while the Incline cleans the air, and enjoy the tri-level LED light strip and

the wireless remote control. Perimeter Aspiration coupled with dual filtration keeps your kitchen smoke and debris-free, and proves the Incline is more than just a pretty face.

MODEL	AIN-M80ASX Stainless Steel AIN-M80AWX White w/ Stainless Steel
Size	31-1/2"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000
Sones	1.4-6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	LED Strip
Tri-Level Lighting	Yes
Filters	Aluminum Mesh
Recirculating***	Yes
DUCT SPECIFICATIONS	
Vertical Internal	6"
Vertical In-Line/External	10" to 8"****
Horizontal Internal	6"
Horizontal In-Line/External	10" to 8"****
OPTIONAL ACCESSORIES	
Duct Cover (10' ceiling)	Z1C-00IN
Recirculating Kit	ZRC-00IN
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***Not compatible with optional duct cover.
****10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.




LAYERS

WALL

DESIGNER:
ROBERT BRUNNER

A streamlined fusion of black or white glass and stainless steel with a light floating effect are sandwiched together in a reimagining of the classic range hood. Now available with a tri-level LED light strip.

MODEL	ALA-M90BBX Stainless Steel w/ Black glass ALA-M90BWX Stainless Steel w/ White glass	ALA-E42BBX Stainless Steel w/ Black glass ALA-E42BWX Stainless Steel w/ White glass
Size	36"	42"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4-6	1.4-6
Controls	Capacitive Touch	Capacitive Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes**	Yes**
Remote Control	Yes, Wireless	Yes, Wireless
Lighting	LED Strip	LED Strip
Tri-Level Lighting	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes	Yes
DUCT SPECIFICATIONS		
Vertical Internal	6"	6"
Vertical In-Line/External	10" to 8"***	10" to 8"***
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-01LA	ZRC-01LA
Extension Duct Cover (12' ceiling)	Z1C-00LA	Z1C-00LA
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.




PLANE

WALL

DESIGNER:
ROBERT BRUNNER

A steep incline of intersecting planes make a powerful, simple geometric statement that's subtle, but never hidden. A stunning red glass canopy is paired with stainless steel for a bold centerpiece in the kitchen.

MODEL	APN-M90ARX Stainless Steel w/ Red glass
Size	36"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000
Sones	1.4-6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	Halogen
Tri-Level Lighting	Yes
Filters	Decorative Mesh
Recirculating	No
Extension Duct Cover	No
DUCT SPECIFICATIONS	
Vertical Internal	6"
Vertical In-Line/External	10" to 8"***
Horizontal	NA
OPTIONAL ACCESSORIES	
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.

**CleanAir turns your hood on once every four hours for 10 minutes on speed one.

***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.


SURFACE

WALL

DESIGNER:
ROBERT BRUNNER

Smoke-gray glass lends dramatic yet minimalist flair to the contemporary stainless steel kitchen. No curves here—just clean, straight lines.

MODEL	ASU-M90ASX Stainless Steel w/ Smoke-Gray glass
Size	36"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000
Sones	1.4–6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	Halogen
Tri-Level Lighting	Yes
Filters	Decorative Mesh
Recirculating	No
Extension Duct Cover	No
DUCT SPECIFICATIONS	
Vertical Internal	6"
Vertical In-Line/External	10" to 8"***
Horizontal	NA
OPTIONAL ACCESSORIES	
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

WAVE

WALL

The Wave looks great with any number of décor styles, from transitional to modern, and the elegant tilt lends a slim profile to this kitchen workhorse. Ingenious dual capture zones en-

sure a smoke and debris-free kitchen. Offering a glowing tri-level LED light strip, and a choice of black or white glass and an optional duct cover, the Wave is a true kitchen classic.


MODEL	AWA-M90ABX Stainless Steel w/ Black glass AWA-M90AWX Stainless Steel w/ White glass
--------------	--

Size	36"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000

Sones	1.4-6
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	LED Strip
Tri-Level Lighting	Yes
Filters	Aluminum Mesh
Recirculating***	Yes

DUCT SPECIFICATIONS	
Vertical Internal	6"
Vertical In-Line/External	10" to 8"****
Horizontal Internal	6"
Horizontal In-Line/External	10" to 8"****

OPTIONAL ACCESSORIES	
Duct Cover (10' ceiling)	Z1C-00IN
Recirculating Kit	ZRC-00WA
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***Not compatible with optional duct cover.
****10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

DUO



ISLAND

DESIGNER:
ROBERT BRUNNER

Streamlined and stunning, Duo Island range hood can be paired with a wood overlay to complement your cabinetry, using our template as the guide. Or, if you prefer the simplicity of a

slim profile stainless steel canopy, keep the Duo Island as-is for the stylish, and contemporary kitchen.

MODEL	ADL-M90BSX Stainless Steel	ADL-E42BSX Stainless Steel
Size	36"	42"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4-6	1.4-6
Controls	Capacitive Touch	Capacitive Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes**	Yes**
Remote Control	Yes, Wireless	Yes, Wireless
Lighting	LED Strip	LED Strip
Tri-Level Lighting	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
Quick-Lock Installation	Yes	Yes
Recirculating	Yes	Yes
Extension Duct Cover	Yes	Yes
DUCT SPECIFICATIONS		
Vertical Internal	6"	6"
Vertical In-line/External	10" to 8"***	10" to 8"***
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-01LL	ZRC-01LL
Extension Duct Cover (12' ceiling)	Z1C-02LL	Z1C-02LL
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.


LAYERS

ISLAND

DESIGNER:
ROBERT BRUNNER

This bold take on the classic island range hood is a streamlined fusion of glass and stainless steel that lends new meaning to "leading edge". Choose from white or black glass. Now with LED light strips.

MODEL	ALL-M90BBX Stainless Steel w/ Black glass ALL-M90BWX Stainless Steel w/ White glass	ALL-E42BBX Stainless Steel w/ Black glass ALL-E42BWX Stainless Steel w/ White glass
Size	36"	42"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4-6	1.4-6
Controls	Capacitive Touch	Capacitive Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes**	Yes**
Remote Control	Yes, Wireless	Yes, Wireless
Lighting	LED Strip	LED Strip
Tri-Level Lighting	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
Quick-Lock Installation	Yes	Yes
Recirculating	Yes	Yes
Extension Duct Cover	Yes	Yes
DUCT SPECIFICATIONS		
Vertical Internal	6"	6"
Vertical In-Line/External	10" to 8"***	10" to 8"***
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-01LL	ZRC-01LL
Extension Duct Cover (12' ceiling)	Z1C-02LL	Z1C-02LL
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.






LUX

ISLAND

Enjoy unobstructed views of your kitchen with the modern, minimalist lines of the Lux. This sleek hood includes a wireless remote control, and it discreetly mounts into the ceiling above your range or cooktop for power and good looks

combined. Your kitchen will stay clean and smoke free with the Lux's Perimeter Aspiration and multiple blower options, and the tri-level LED light strip ensures a good-looking glow.

MODEL	ALU-E43ASX Stainless Steel
Size	43"
Internal Blower CFM*	290, CBI-290A
Internal Blower CFM*	600, CBI-600A
Internal Blower CFM*	1,100, PBI-1100A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000
Sones	1.4-8
Controls	Capacitive Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Remote Control	Yes, Wireless
Lighting	LED Strip
Tri-Level Lighting	Yes
Filters	Aluminum Mesh
Recirculating	Yes
DUCT SPECIFICATIONS	
Vertical	NA
Horizontal Internal	6"(CBI), 10"(PBI)
Horizontal In-Line/External	10"
OPTIONAL ACCESSORIES	
Recirculating Kit	ZRC-00LX
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM) MUA010A (1,100 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.


SURFACE

ISLAND

DESIGNER:
ROBERT BRUNNER

Smoke-gray glass lends dramatic yet minimalist flair to the contemporary stainless steel kitchen. No curves here—just clean, straight lines.

MODEL	ASL-E42ASX Stainless Steel w/ Smoke-Gray glass	ASL-E48ASX Stainless Steel w/ Smoke-Gray glass
Size	42"	48"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4–6	1.4–6
Controls	Capacitive Touch	Capacitive Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes**	Yes**
Remote Control	Yes, Wireless	Yes, Wireless
Lighting	Halogen	Halogen
Tri-Level Lighting	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
Recirculating	Yes	Yes
Duct Cover Extension	Yes	Yes
DUCT SPECIFICATIONS		
Vertical Internal	6"	6"
Vertical In-Line/External	10" to 8"***	10" to 8"***
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00SL	ZRC-00SL
Duct Cover Extension Kit (12' Ceiling)	Z1C-00SL	Z1C-00SL
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.




CHENG COLLECTION



Individual. Elegant. Inspired. Fu-Tung Cheng's work is internationally known for its sophisticated, understated design, understanding of craft, and artful use of simple yet refined materials. Fu-Tung Cheng is one of the most influential kitchen and bath designers working today, and Cheng Design, located in Berkeley, California, offers custom home design and commercial products. Along with his work for Zephyr, Fu-Tung also offers a boutique line of sculptural countertops using a proprietary concrete formula.

A sleek combination of whimsy and discipline, the Okeanito boasts perforated side panels that radiate gentle ambient light, infusing its surroundings with a sense of grace and calm.

MODEL	COK-E36BSX Stainless Steel	COK-E42BSX Stainless Steel	COK-E48BSX Stainless Steel
Size	36"	42"	48"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4-6	1.4-6	1.4-6
Controls	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	3	3	3
Auto Delay-Off	Yes	Yes	Yes
CleanAir Function	Yes**	Yes**	Yes**
Lighting-Primary	Bloom™ HD LED	Bloom™ HD LED	Bloom™ HD LED
Lighting-Ambient	Incandescent	Incandescent	Incandescent
Dual Level Lighting	Yes, LED	Yes, LED	Yes, LED
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Wireless Remote Control	Optional	Optional	Optional
Recirculating	No	No	No
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS			
Vertical Internal	6"	6"	6"
Vertical In-Line/External	10" to 8"***	10" to 8"***	10" to 8"***
Horizontal	NA	NA	NA
OPTIONAL ACCESSORIES			
Extension Duct Cover Kit	Z1C-000K	Z1C-000K	Z1C-000K
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)
Wireless Remote Control	14000005	14000005	14000005




*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

The new Limited Edition Okeanito models are a testament to Cheng's creative rethink of industrial materials and Zephyr's commitment to

delivering the unexpected — in this case mixed metal ventilation hoods which embrace the eclectic, industrial chic aesthetic people love.

MODEL	COK-E36BBMX Black Mirror Stainless Steel COK-E36BRGX Rose Gold Stainless Steel	COK-E42BBMX Black Mirror Stainless Steel COK-E42BRGX Rose Gold Stainless Steel	COK-E48BBMX Black Mirror Stainless Steel COK-E48BRGX Rose Gold Stainless Steel	Color samples available by request.
Size	36"	42"	48"	
Internal Blower CFM*	290, CBI-290A	290, CBI-290A	290, CBI-290A	
Internal Blower CFM*	600, CBI-600A	600, CBI-600A	600, CBI-600A	
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A	1,000, PBN-1000A	
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000	1,000, CBE-1000	
Sones	1.4–6	1.4–6	1.4–6	
Controls	Electronic Touch	Electronic Touch	Electronic Touch	
Speed Levels	3	3	3	
Auto Delay-Off	Yes	Yes	Yes	
CleanAir Function	Yes**	Yes**	Yes**	
Lighting - Primary	Bloom™ HD LED	Bloom™ HD LED	Bloom™ HD LED	
Lighting - Ambient	Incandescent	Incandescent	Incandescent	
Dual Level Lighting	Yes, LED	Yes, LED	Yes, LED	
Filters	Pro Baffle	Pro Baffle	Pro Baffle	
Wireless Remote Control	Optional	Optional	Optional	
Recirculating	No	No	No	
Extension Duct Cover	No	No	No	
DUCT SPECIFICATIONS				
Vertical Internal	6"	6"	6"	
Vertical In-Line/External	10" to 8"***	10" to 8"***	10" to 8"***	
Horizontal	NA	NA	NA	
OPTIONAL ACCESSORIES				
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	
Wireless Remote Control	14000005	14000005	14000005	



*Blower sold separately
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blowers. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

PADOVA




WALL

DESIGNER:
FU-TUNG CHENG

The world's first customizable range hood ready for the materials of your choice. Whether you prefer mosaic tile, ribbed glass, copper, zinc, stainless steel or the infinite possibilities

of Italian or Japanese plaster, you'll have a hand in making Padova a signature addition to your home.

MODEL	CPA-E42ASX Stainless Steel body	CPA-E48ASX Stainless Steel body	CPA-E54ASX Stainless Steel body
Size	42"	48"	54"
Internal Blower CFM*	600, EBI-600B	600, EBI-600B	600, EBI-600B
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000	1,000, CBE-1000
Sones	2.3-9	2.3-9	2.3-9
Controls	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	3	3	3
Lighting-Primary	Halogen	Halogen	Halogen
Lighting-Ambient	Incandescent	Incandescent	Incandescent
Dual Level Lighting	Yes, Halogen	Yes, Halogen	Yes, Halogen
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Recirculating	No	No	No
Extension Duct Cover	No	No	No
DUCT SPECIFICATIONS			
Vertical Internal	8"	8"	8"
Vertical In-Line/External	10" to 8"***	10" to 8"***	10" to 8"***
Horizontal Internal	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
Horizontal In-Line/External	10" to 8"***	10" to 8"***	10" to 8"***
CANOPY COLORS*			
Stainless Steel	CPC-0012	CPC-0018	CPC-0015
Brass	CPC-0112	CPC-0118	CPC-0115
OPTIONAL ACCESSORIES			
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower and canopy options sold separately.
**10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.


TRAPEZE

ISLAND

DESIGNER:
FU-TUNG CHENG

With its directional Bloom™ HD LED lighting and a graceful, slow-curve canopy, the Trapeze is more than a focal point—it's a bold statement.

MODEL	CTP-E48BSX Stainless Steel	CTP-E54BSX Stainless Steel	CTP-E60BSX Stainless Steel
Size	48"	54"	60"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4–6	1.4–6	1.4–6
Controls	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	3	3	3
Auto Delay-Off	Yes	Yes	Yes
CleanAir Function	Yes**	Yes**	Yes**
Lighting	Bloom™ HD LED	Bloom™ HD LED	Bloom™ HD LED
Dual Level Lighting	Yes	Yes	Yes
Wireless Remote Control	Optional	Optional	Optional
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Recirculating	No	No	No
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS			
Vertical Internal	6"	6"	6"
Vertical In-Line/ External	10" to 8"***	10" to 8"***	10" to 8"***
Horizontal	NA	NA	NA
OPTIONAL ACCESSORIES			
Extension Duct Cover Kit	Z1C-00TP	Z1C-00TP	Z1C-00TP
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)
Remote Control	14000005	14000005	14000005



*Blower sold separately.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

CACHE



UNDER-CABINET

DESIGNER:
FU-TUNG CHENG

The Cache's sweeping hood and signature utensil rail renounces clutter and infuses your kitchen with ordered elegance. The Cache hides a spacious storage compartment perfect

for housing herbs, spices, and other culinary necessities. This Pro-Style hood is powerful enough for professional kitchens.

MODEL	CCA-E30ASX Stainless Steel	CCA-E36ASX Stainless Steel	CCA-E48ASX Stainless Steel
Size	30"	36"	48"
Internal Blower CFM*	290, CBI-290A	290, CBI-290A	290, CBI-290A
Internal Blower CFM*	600, CBI-600A	600, CBI-600A	600, CBI-600A
In-line Blower CFM*	1,000, PBN-1000A	1,000, PBN-1000A	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000	1,000, CBE-1000	1,000, CBE-1000
Sones	1.4-6	1.4-6	1.4-6
Controls	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	3	3	3
Auto Delay-Off	Yes	Yes	Yes
Lighting	Halogen	Halogen	Halogen
Dual Level Lighting	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Recirculating	No	No	No
Extension Duct Cover	NA	NA	NA
DUCT SPECIFICATIONS			
Vertical Internal	6"	6"	6"
Vertical In-Line/External	10" to 8"***	10" to 8"***	10" to 8"***
Horizontal	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES			
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower sold separately.
**10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.



ESSENTIALS COLLECTION

Essentials, powered with DCBL Suppression System® (the most advanced technology available today), is the perfect place to start when planning your kitchen project. Enhance your love of cooking and increase your enjoyment of it by choosing a range hood ideal for your style and budget.

DCBL SUPPRESSION SYSTEM[®] TECHNOLOGY

The most advanced range hood system available today.

Up to 77% More energy efficient*

Up to 77% Less noise*

Up to 30% More CFM power*

Longer warranty

Exceeds ENERGY STAR[®] requirements

*Compared to traditional AC motor

Our proprietary system includes industry-first technology such as:

DC Motor

Direct Current Brushless Motor Technology runs on a much cleaner and more stable energy source, resulting in less wear and tear on the hood's motor.


Permanent magnet allows electricity to be conducted without the use of brushes or metal contacts that would produce heat and friction.

Design enables an increase of the motor's torque at lower speeds so the range hood can move more air, while operating quietly on working speed settings.

DC Motor vs. AC Motor

● DC Motor

● AC Motor



**On working speed @ 250-CFM

Bloom™ HD LED

With a lifetime of 25,000 hours, Bloom™ HD LED light bulbs are an industry breakthrough and are unmatched in performance, light emission and value.



Bulbs amplify a low-wattage diode into a halogen-like brilliance that evenly distributes light over the cooking surface.

Lights are dimmable and give off a clean, natural looking light.

They remain cool to the touch and do not add any additional heat to the cooking area.

LCD Electronic Controls

An advanced PC board combines a DC motor controller and LED driver in one complete board. A sleek mirror finish is shown when the hood is off, while a soft blue backlight is displayed when in use.

Larger intelligent display with more information.

Five speeds plus a burst mode for extra “burst” of additional extraction.



CleanAir Function powers hood on every four hours for 10 mins to refresh the cooking area.

An optional ADA compliant wireless remote control is now available on all DCBL™ models.

What is ACT™?

Airflow Control Technology™ is an exclusive technology that gives builders and developers the ability to set the maximum CFM levels to meet local code requirements. Available on all DCBL™ and select Essentials Collection models.

EUROPA



Since 2001, Zephyr's Europa Collection has been the standard by which the industry measures itself. Combining European design with American performance, Europa is the best of both worlds.

POWER



The Power Series is legendary for its unparalleled combination of power, style, innovative self-cleaning centrifugal blowers and quiet operation. Built to last – these were the hoods that started it all.

BREEZE



The Breeze series of hoods provides that hard-to-find combination of value, performance, and a sleek simplicity that belies its cutting edge technology.

Milano has become an icon by virtue of its timeless design while taking detail and performance to higher ground. Outfitted with Bloom™ HD LED light bulbs and electronic LCD controls. Canopies are available in clear glass and stain-

less steel options. Equipped with the DCBL Suppression System®, the most advanced technology available today. Now available with an optional wireless remote control.



MODEL	ZMI-M90BG Clear Glass canopy ZMI-M90BS Stainless Steel canopy
-------	--

Size	36"
CFM	715
ACT™ CFM	590, 390, 290


Sones	0.8–5.8
Controls	Electronic LCD
Speed Levels	5 + Burst
Auto Delay-Off	Yes
CleanAir Function	Yes*
Lighting	Bloom™ HD LED
Dual-Level Lighting	Yes
Filters	Aluminum Mesh
Wireless Remote Control	Optional
Recirculating	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling

DUCT SPECIFICATIONS

Vertical	8"
Horizontal	NA

OPTIONAL ACCESSORIES

Wireless Remote Control Kit	RC-0001
Recirculating Kit	ZRC-00MI
Extension Duct Cover	Z1C-01MI
Make-Up Air Kit	MUA008A




*CleanAir turns your hood on once every four hours for 10 minutes on speed one. DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology. ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

Resembling a floating island made of steel and glass, Modena houses the most advanced Bloom™ HD LED light bulbs and electronic LCD controls within its one-inch stainless steel

canopy. Includes the DCBL Suppression System®, the most advanced range hood technology available today. Now available with an optional wireless remote control.



MODEL	ZMO-E30AS Stainless Steel w/ Glass	ZMO-M90AS Stainless Steel w/ Glass
Size	30"	36"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8–5.8	0.8–5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-00MO	ZRC-00MO
Extension Duct Cover	Z1C-00MO	Z1C-00MO
Make-Up Air Kit	MUA008A	MUA008A




*CleanAir turns your hood on once every four hours for 10 minutes on speed one. DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology. ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

A timeless and classic design, Venezia's formidable pyramid design now includes baffle filters and Zephyr's DCBL Suppression System® elevating this ageless range hood to unparalleled levels of performance. With directional

Bloom™ HD LED light bulbs, Venezia's 24-inch deep capture area is fully illuminated with warm halogen-caliber light, while remaining cool to the touch. Now available with an optional wireless remote control.



MODEL	ZVE-E30CS Stainless Steel	ZVE-E36CS Stainless Steel	ZVE-E42CS Stainless Steel
Size	30"	36"	42"
CFM	715	715	715
ACT™ CFM	590, 390, 290	590, 390, 290	590, 390, 290
Sones	0.8–5.8	0.8–5.8	0.8–5.8
Controls	Electronic LCD	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes	Yes
CleanAir Function	Yes*	Yes*	Yes*
Directional Lighting	Bloom™ HD LED	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes	Yes
Filters	Baffle	Baffle	Baffle
Wireless Remote Control	Optional	Optional	Optional
Recirculating	Yes	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS			
Vertical	8"	8"	8"
Horizontal	NA	NA	NA
OPTIONAL ACCESSORIES			
Wireless Remote Control Kit	RC-0001	RC-0001	RC-0001
Recirculating Kit	ZRC-02VE	ZRC-02VE	ZRC-02VE
Extension Duct Cover	Z1C-01VE	Z1C-01VE	Z1C-01VE
Make-Up Air Kit	MUA008A	MUA008A	MUA008A




*CleanAir turns your hood on once every four hours for 10 minutes on speed one. DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology. ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

The Verona's straight glass canopy also serves up ambient LED lighting in Cloud White, Deep Blue or Amber color options to best match your décor; or choose the Demo mode that displays all three settings in 10-second intervals.



Includes the DCBL Suppression System®, the most advanced system available today. Now available with an optional wireless remote control.



MODEL	ZVO-E30AG Stainless Steel w/ Glass canopy	ZVO-M90AG Stainless Steel w/ Glass canopy
Size	30"	36"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8–5.8	0.8–5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
LED Illuminated Glass	Cloud White, Deep Blue & Amber	Cloud White, Deep Blue & Amber
Filters	Aluminum Mesh	Aluminum Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-00VO	ZRC-00VO
Extension Duct Cover	Z1C-00VO	Z1C-00VO
Make-Up Air Kit	MUA008A	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one. DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology. ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.




A standard of the Europa Collection, Milano is a bold technological breakthrough: this island includes our DCBL Suppression System® making it the quietest, most powerful energy efficient

range hood available today. Canopies are available in clear glass and stainless steel options. Now available with an optional remote control.



MODEL	ZML-M90BG Clear Glass canopy ZML-M90BS Stainless Steel canopy	ZML-E42BG Clear Glass canopy ZML-E42BS Stainless Steel canopy
Size	36"	42"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8-5.8	0.8-5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes**	Yes**
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-00ML	ZRC-00ML
Extension Duct Cover	Z1C-03ML	Z1C-03ML
Make-Up Air Kit	MUA008A	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one.
 **See the Quick-Lock in action at zephyronline.com
 DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology.
 ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.




Modena's low-profile, stainless steel and glass canopy resembles a floating island over your cooktop or range. An ideal blend of style and performance, Modena is sure to add the power your kitchen requires without the cluttered

sight lines typical with more cumbersome range hood models. Includes the DCBL Suppression System®, the most advanced system available today. Now available with an optional wireless remote control.



MODEL	ZMD-M90AS Stainless Steel w/ Glass	ZMD-E42AS Stainless Steel w/ Glass
Size	36"	42"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8–5.8	0.8–5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes**	Yes**
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-00MD	ZRC-00MD
Extension Duct Cover	Z1C-00MD	Z1C-00MD
Make-Up Air Kit	MUA008A	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one.
**See the Quick-Lock in action at zephyronline.com
DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology.
ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.




Napoli is a classic island range hood design. Strong and sophisticated with upwardly-angled walls, Napoli makes an impression in any kitchen, and is as easy to install as it is to enjoy.

Includes the DCBL Suppression System®, the most advanced system available today. Now available with an optional wireless remote control.



MODEL	ZNA-M90CS Stainless Steel	ZNA-E42CS Stainless Steel
Size	36"	42"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8-5.8	0.8-5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
Filters	Baffle	Baffle
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes**	Yes**
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-02NA	ZRC-02NA
Extension Duct Cover	Z1C-02NA	Z1C-02NA
Make-Up Air Kit	MUA008A	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one.

**See the Quick-Lock in action at zephyronline.com

DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology.

ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.




The Verona's straight glass canopy also serves up ambient LED lighting in Cloud White, Deep Blue or Amber color options to best match your décor; or choose the Demo mode that displays all three settings in 10-second intervals.

Includes the DCBL Suppression System®, the most advanced system available today. Now available with an optional wireless remote control.



MODEL	ZVN-M90AG Stainless Steel w/ Glass canopy	ZVN-E42AG Stainless Steel w/ Glass canopy
Size	36"	42"
CFM	715	715
ACT™ CFM	590, 390, 290	590, 390, 290
Sones	0.8-5.8	0.8-5.8
Controls	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes
CleanAir Function	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
LED Illuminated Glass	Cloud White, Deep Blue & Amber	Cloud White, Deep Blue & Amber
Filters	Aluminum Mesh	Aluminum Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes**	Yes**
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Wireless Remote Control Kit	RC-0001	RC-0001
Recirculating Kit	ZRC-00VN	ZRC-00VN
Extension Duct Cover	Z1C-00VN	Z1C-00VN
Make-Up Air Kit	MUA008A	MUA008A




*CleanAir turns your hood on once every four hours for 10 minutes on speed one.

**See the Quick-Lock in action at zephyronline.com

DCBL Suppression System™ offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology.

ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.




At home in either traditional or contemporary kitchens, Anzio is a low-profile, chimney-style range hood that will add style and value to any kitchen. The pyramid-like structure houses a powerful 600-CFM blower that quietly

operates at a single speed on the most common working speed. The model also features our exclusive ACT™ technology and ICON Touch® controls.

ACT™

MODEL	ZAN-E30BS Stainless Steel	ZAN-M90BS Stainless Steel
Size	30"	36"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00AN	ZRC-00AN
Extension Duct Cover	Z1C-00AN	Z1C-00AN
Baffle Filter Kit	Z0F-B001	Z0F-B001
Make-Up Air Kit	MUA006A	MUA006A




Boasting an elegant slice of sleek stainless steel married with the subtle glamor of ambient lighting in Cloud White, Deep Blue and Amber, the Lucé is the (gorgeous) future of range

hoods, here today. Featuring ACT™ technology, ICON Touch® controls and a versatile recirculating option.

ACT™

MODEL	ZLU-E30AS Stainless Steel w/ accent lighting	ZLU-M90AS Stainless Steel w/ accent lighting
Size	30"	36"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
LED Accent Light	Cloud White, Deep Blue & Amber	Cloud White, Deep Blue & Amber
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00LU	ZRC-00LU
Extension Duct Cover	Z1C-00LU	Z1C-00LU
Make-Up Air Kit	MUA006A	MUA006A




The delicate curve of a glass canopy arching over your cooktop will add power and style to your everyday cooking experience. The Ravenna combines 21st century know-how with timeless beauty—and the result is stunning.

Featuring clear and smoke-gray glass canopy options, as well as ACT™ Technology, ICON Touch® controls and a versatile recirculating option.

ACT™

MODEL	ZRV-E30AGC Clear Glass canopy ZRV-E30AGG Smoke-Gray Glass canopy	ZRV-M90AGC Clear Glass canopy ZRV-M90AGG Smoke-Gray Glass canopy
Size	30"	36"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1–6	1–6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00RV	ZRC-00RV
Extension Duct Cover	Z1C-00RV	Z1C-00RV
Make-Up Air Kit	MUA006A	MUA006A




Roma's sleek presence is ideal for the design-savvy renovator, the high-rise developer who strives for quality or the builder who buys in mass but won't settle for mediocrity. Roma's contemporary design is complemented with

upgraded controls and a 600-CFM blower that operates at an ultra quiet single sone. The ICON Touch® controls and 5-speed levels offer added performance.

ACT™

MODEL	ZRO-E30CS Stainless Steel	ZRO-M90CS Stainless Steel
Size	30"	36"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-01RO	ZRC-01RO
Extension Duct Cover	Z1C-00RO	Z1C-00RO
Make-Up Air Kit	MUA006A	MUA006A




Savona's semi-circular surfaces accentuate this range hood's European design with delicate reflections of light and shadows. Underneath the 11" tall body, Savona features a robust 685-CFM blower that operates at an ultra quiet 1 sone on

normal working speed. ICON Touch® controls with 5-speeds and our exclusive ACT™ technology make this hood a standout choice. Also available in powder-coated black and white.

ACT™

MODEL	ZSA-E30CB Black ZSA-E30CW White ZSA-E30CS Stainless Steel	ZSA-M90CB Black ZSA-M90CW White ZSA-M90CS Stainless Steel
Size	30"	36"
CFM	685	685
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00SV	ZRC-00SV
Extension Duct Cover - Black	Z1C-01SAB	Z1C-01SAB
Extension Duct Cover - White	Z1C-01SAW	Z1C-01SAW
Extension Duct Cover - Stainless	Z1C-01SA	Z1C-01SA
Baffle Filter Kit	Z0F-B001	Z0F-B001
Make-Up Air Kit	MUA008A	MUA008A




Sienna is packed with power. With a 650-CFM blower and ACT™ technology this is a hood with a versatile range of features perfect for any kitchen. With dual-level halogens, a recircu-

lating option and Zephyr's new ICON Touch® controls, clearing the air is as simple as the touch of a button.

ACT™

MODEL	ZSI-E30AS Stainless Steel	ZSI-E36AS Stainless Steel
Size	30"	36"
CFM	650	650
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00SI	ZRC-00SI
Extension Duct Cover	Z1C-00SI	Z1C-00SI
Make-Up Air Kit	MUA008A	MUA008A



EUROPA

SIENA ES


ENERGY STAR
WALL

The Siena ES, certified ENERGY STAR® hood is packed with power. With a 400-CFM blower and ACT™ technology this hood has a versatile range of features perfect for any kitchen.

With energy-efficient fluorescent lights, an extension duct cover option and Zephyr's new ICON Touch® controls, clearing the air is as simple as the touch of a button.



MODEL	ZSI-E30AS-ES Stainless Steel	ZSI-E36AS-ES Stainless Steel
Size	30"	36"
CFM	400	400
ACT™ CFM	290	290
Sones	1.4-6	1.4-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
Lighting	Fluorescent	Fluorescent
Dual-Level Lighting	No	No
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	No	No
Extension Duct Cover	Yes up to 12' ceiling	Yes up to 12' ceiling
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Extension Duct Cover	Z1C-00SI	Z1C-00SI





ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements. Certified ENERGY STAR product.

With its classic, professional-style design Siena Pro manages to encompass a wealth of features perfect for the culinary pro or any aspiring

home chef. Equipped with a 1,200-CFM blower and Zephyr's ICON Touch® controls, clean, efficient power is just a touch away.

MODEL	ZSP-E42AS Stainless Steel	ZSP-E48AS Stainless Steel
Size	42"	48"
CFM	1,200	1,200
Sones	3.5-9	3.5-9
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	No	No
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
DUCT SPECIFICATIONS		
Vertical	10"	10"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Extension Duct Cover	Z1C-00SP	Z1C-00SP
Make-Up Air Kit	MUA010A	MUA010A




With its low-profile, bell-shaped island range hood, Anzio adds style to any kitchen project. Its 600-CFM blower, ICON Touch® controls, and dual-level halogen lighting move it ahead

of the competition. Add the Quick-Lock installation system and Anzio stands alone in terms of performance, design and value.

ACT™

MODEL	ZAZ-M90BS Stainless Steel	ZAZ-E42BS Stainless Steel
Size	36"	42"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes*	Yes*
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00AZ	ZRC-01AZ
Extension Duct Cover	Z1C-00AZ	Z1C-00AZ
Make-Up Air Kit	MUA006A	MUA006A





*See the Quick-Lock in action at zephyronline.com
ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

Boasting an elegant slice of sleek stainless steel married with the subtle glamor of ambient lighting in Cloud White, Deep Blue and Amber, the Lucé is the (gorgeous) future of range

hoods, here today. Featuring ACT™ technology, ICON Touch® controls and a versatile recirculating option. Includes an enhanced Quick-Lock installation system with magnetic duct covers.

ACT™

MODEL	ZLC-M90AS Stainless Steel w/ accent lighting	ZLC-E42AS Stainless Steel w/ accent lighting
Size	36"	42"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes
LED Accent Light	Cloud White, Deep Blue & Amber	Cloud White, Deep Blue & Amber
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes*	Yes*
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00LC	ZRC-00LC
Extension Duct Cover	Z1C-00LC	Z1C-00LC
Make-Up Air Kit	MUA006A	MUA006A



*See the Quick-Lock in action at zephyronline.com
ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

A sharp, angular island design as distinctively bold as its namesake city, Roma's sleek shape is ideal for the savvy renovator, the discerning high-rise developer or the builder who buys in

mass but won't skimp on quality. Designed with the innovative Quick-Lock installation system, ICON Touch® controls and dual-level lighting, Roma island is ready to start cooking in no time.

ACT™

MODEL	ZRM-E36CS Stainless Steel	ZRM-E42CS Stainless Steel
Size	36"	42"
CFM	600	600
ACT™ CFM	390, 290	390, 290
Sones	1-6	1-6
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes*	Yes*
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-02RM	ZRC-01RM
Extension Duct Cover	Z1C-01RM	Z1C-01RM
Make-Up Air Kit	MUA006A	MUA006A



*See the Quick-Lock in action at zephyronline.com
ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

EUROPA


SIENA PRO

ISLAND

With its classic, professional-style design Siena Pro island manages to encompass a wealth of features perfect for the culinary pro or an aspiring home chef. Equipped with a 1,200-

CFM blower, Zephyr's ICON Touch® controls, and the unique Quick-Lock installation system, Siena Pro is as easy to install as it is to enjoy.

MODEL	ZSL-E42AS Stainless Steel	ZSL-E48AS Stainless Steel
Size	42"	48"
CFM	1,200	1,200
Sones	3.5-9	3.5-9
Controls	ICON Touch®	ICON Touch®
Speed Levels	5	5
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	No	No
Extension Duct Cover	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling
Quick-Lock Installation	Yes*	Yes*
DUCT SPECIFICATIONS		
Vertical	10"	10"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Extension Duct Cover	Z1C-01SL	Z1C-01SL
Make-Up Air Kit	MUA010A	MUA010A



*See the Quick-Lock in action at zephyronline.com

EUROPA


GENOVA

UNDER-CABINET

Tucked neatly beneath your bridge cabinet, Genova works quietly out of sight. Powered by the strength of its 500-CFM or 290-CFM blower, Genova's crescent-like body delivers stunning design and quality performance.

Packed with upgraded features like 3-speed electronic controls, Genova is perfect for kitchens that require a more minimal look.

MODEL	ZGE-E30AS Stainless Steel w/ Smoke-Gray Glass ZGE-E30AS290 Stainless Steel w/ Smoke-Gray Glass, 290 CFM	ZGE-E36AS Stainless Steel w/ Smoke-Gray Glass ZGE-E36AS290 Stainless Steel w/ Smoke-Gray Glass, 290 CFM
Size	30"	36"
CFM	500 or 290	500 or 290
Sones	1.7-5.3 or 1.4-2.8	1.7-5.3 or 1.4-2.8
Controls	Electronic Touch	Electronic Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
Wireless Remote Control	Optional	Optional
Recirculating	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00GE	ZRC-00GE
Wireless Remote Control	14000005	14000005
Make-Up Air Kit	MUA006A	MUA006A



EUROPA


PISA

UNDER-CABINET

Tucked neatly out of sight within your cabinetry, Pisa is a minimal alternative to your typical under-cabinet range hood. Powered by the strength of its 290-CFM blower, Pisa's low-profile body delivers stunning design and quality performance. Its retractable visor helps

in the capture of air and puts control at your fingertips. Pisa is perfect for kitchens that require a more discreet look.



MODEL	ZPI-E30AG290 Stainless Steel w/ Glass	ZPI-E36AG290 Stainless Steel w/ Glass
Size	30"	36"
CFM	290	290
Sones	1.3-3.2	1.3-3.2
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	6"	6"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-00PI	ZRC-00PI



Classic, architectural lines meet at an apex to energize the classic look of the chimney-style under-cabinet hood. This expressive yet utilitarian design also features an adjustable back

panel utensil rail that puts cooking gear within easy reach. Available in Stainless Steel.



MODEL	ZPY-E30AS Stainless Steel ZPY-E30AS290 Stainless Steel, 290 CFM	ZPY-E36AS Stainless Steel
Size	30"	36"
CFM	400 or 290	400
Sones	2-5 or 1.1-3.2	2-5
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Adjustable Utensil Bar	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-0200	ZRC-0200



With Tamburo, we've used a fresh approach that's designed for real life. This original also offers halogen lighting, 3-speeds and an

adjustable utensil rail to keep all of your larger culinary tools right where you want them—above the cooking surface.

MODEL	ZTA-E30AS Stainless Steel ZTA-E30AS290 Stainless Steel, 290 CFM	ZTA-E36AS Stainless Steel
Size	30"	36"
CFM	400 or 290	400
Sones	2-5 or 1.1-3.2	2-5
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Adjustable Utensil Bar	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-0200	ZRC-0200





Adjustable
Utensil Bar
Heights



Terazzo boasts a perfect combination of style, convenience and innovation. With its 12-inch cabinet mounting-depth and the ingenious terraced display rack, Terazzo makes a perfect

addition to any kitchen. It also comes with an adjustable utensil rail to help keep your cooking tools within reach.

MODEL	ZTE-E30AS Stainless Steel ZTE-E30AS290 Stainless Steel, 290 CFM	ZTE-E36AS Stainless Steel
Size	30"	36"
CFM	400 or 290	400
Sones	2-5 or 1.1-3.2	2-5
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
Adjustable Utensil Bar	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-0200	ZRC-0200



EUROPA


SORRENTO

DOWNDRAFT

Ideal for small kitchens or for island settings where ceilings are too high for ducting, Sorrento rises to the occasion. The brushed stainless steel filter unit houses quiet, efficient

centrifugal blowers. An automatic heat sensor adjusts blowers in high-heat conditions. The press of a button lets you conveniently raise and lower this hood.

MODEL	DD1-E30AS Stainless Steel	DD1-E36AS Stainless Steel
Size	30"	36"
CFM	500	500
Sones	NA	NA
Controls	Control Knob	Control Knob
Speed Levels	Variable	Variable
Auto Off	Yes	Yes
Automatic Heat Sensor	Yes	Yes
Filters	Decorative Mesh	Decorative Mesh
DUCT SPECIFICATIONS		
Internal Blower (Left, Right or Bottom)	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Remote up down control	DDA-0001	DDA-0001
Make-Up Air Kit	MUA006A	MUA006A



POWER



CYCLONE

UNDER-CABINET

Modern, clean lines provide a perfect complement to any interior, while centrifugal blowers liquefy cooking residue without complex filters to make cleanup a snap. Available in stainless

steel, white and black, and Cyclone's three styles, sizes and ducting options make it one of our most versatile models. Includes filter-less self cleaning system.

MODEL	AK6500BB Black AK6500BW White AK6500BS Stainless Steel	AK6536BB Black AK6536BW White AK6536BS Stainless Steel	AK6542BS Stainless Steel
Size	30"	36"	42"
CFM	600	600	600
Sones	1.5-5	1.5-5	1.5-5
Controls	Mechanical Slide	Mechanical Slide	Mechanical Slide
Speed Levels	3	3	3
Auto Delay-Off	No	No	No
Lighting	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes
Removable Safety Grilles	2	2	2
Recirculating	No	No	No
Self Cleaning	Yes	Yes	Yes
DUCT SPECIFICATIONS			
Vertical	6" or 3 1/4" x 10"	6" or 3 1/4" x 10"	6" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES			
Make-Up Air Kit	MUA006A	MUA006A	MUA006A



POWER

HURRICANE



UNDER-CABINET

High tech meets high style with a minimum of fuss under the cabinet. Touch-controls take charge of the 3-speed 695-CFM blower; dual-level halogen lights and a timed delay-off

function-all designed to make your life easier. Available in stainless steel, white and black. Includes filter-less self cleaning system. Now with ACT™ technology.

ACT™

MODEL	AK2500BB Black AK2500BW White AK2500BS Stainless Steel	AK2536BB Black AK2536BW White AK2536BS Stainless Steel
Size	30"	36"
CFM	695	695
ACT™ CFM	390, 290	390, 290
Sones	1.5-5.5	1.5-5.5
Controls	Electronic Touch	Electronic Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Removable Safety Grilles	2	2
Recirculating	No	No
Self Cleaning	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Make-Up Air Kit	MUA008A	MUA008A



ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

POWER

TYPHOON




UNDER-CABINET

One of our founding models, now with an updated look, we crafted a smooth curvature then upped the volume with powerful, virtually noise-free 850-CFM blowers. The filter-less self

cleaning feature makes maintenance a breeze, Now with Quiet Speed Setting (QSS) and ACT™ technology.

ACT™

MODEL	AK2100BB Black AK2100BW White AK2100BS Stainless Steel	AK2136BB Black AK2136BW White AK2136BS Stainless Steel	AK2142BS Stainless Steel	AK2148BS Stainless Steel
Size	30"	36"	42"	48"
CFM	850	850	850	850
ACT™ CFM	390, 290	390, 290	390, 290	390, 290
Sones	0.9-5	0.9-5	0.9-5	0.9-5
Controls	Capacitive Touch	Capacitive Touch	Capacitive Touch	Capacitive Touch
Speed Levels	6	6	6	6
Quiet Speed Setting (QSS)	Yes	Yes	Yes	Yes
Auto Delay-Off	Yes	Yes	Yes	Yes
Lighting	Halogen	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes	Yes
Removable Safety Grilles	2	2	2	2
Recirculating	No	No	No	No
Self Cleaning	Yes	Yes	Yes	Yes
DUCT SPECIFICATIONS				
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES				
Make-Up Air Kit	MUA008A	MUA008A	MUA008A	MUA008A



ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.



POWER

GUST

PRO-STYLE
UNDER-CABINET

A discreet, European-style, professional-looking range hood, Gust adds fashion and function to under-cabinet installations. With its mechanical controls neatly tucked away below the canopy, Gust provides the subtlety its owners require.

MODEL	AK7100AS Stainless Steel AK7100AS-BF Stainless Steel, w/ Baffle filters AK7100AS290 Stainless Steel, 290 CFM	AK7136AS Stainless Steel AK7136AS-BF Stainless Steel, w/ Baffle filters AK7136AS290 Stainless Steel, 290 CFM
Size	30"	36"
CFM	400 or 290	400 or 290
Sones	2-5 or 1.1-3.2	2-5 or 1.1-3.2
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh or Baffle	Aluminum Mesh or Baffle
Recirculating	Yes	Yes
Adjustable Utensil Bar	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3 1/4" x 10"	7" or 3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-0200	ZRC-0200
Make-Up Air Kit	MUA006A	MUA006A



POWER

TEMPEST I



PRO-STYLE
UNDER-CABINET

A streamlined under-cabinet pro-style range hood, Tempest I combines power, efficiency and flexibility. 650-CFM or 1,200-CFM blower options and high-airflow baffle filters (that are dishwasher-safe) ensure a lifetime of excep-

tional performance. Additional options like a wireless remote control and recirculation kit for kitchens that require ductless venting ensure all you have to think about is cooking.

ACT™

MODEL	AK7000BS Stainless Steel	AK7036BS Stainless Steel	AK7042BS Stainless Steel
Size	30"	36"	42"
CFM	650	650 or 1,200*	650 or 1,200*
ACT™ CFM	390, 290	390, 290	390, 290
Sones	1-6	1-6 or 3.5-9	1-6 or 3.5-9
Controls	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	6	6	6
Auto Delay-Off	Yes	Yes	Yes
CleanAir Function	Yes**	Yes**	Yes**
Lighting	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Wireless Remote Control	Optional	Optional	Optional
Recirculating	Yes (650 CFM blower only)	Yes (650 CFM blower only)	Yes (650 CFM blower only)
DUCT SPECIFICATIONS			
Vertical - 650 CFM Internal Blower	8"	8"	8"
Vertical - 1,200 CFM Internal Blower	NA	10"	10"
Horizontal - 650 CFM Internal Blower	8" or 3 1/4" x 10"	8" or 3 1/4" x 10"	8" or 3 1/4" x 10"
Horizontal - 1,200 CFM Internal Blower	NA	NA	NA
OPTIONAL ACCESSORIES			
1,200 CFM Blower Kit	NA	PBD-1200A	PBD-1200A
12" Duct Cover	AK0720	AK0726	AK0722
Back Splash with Shelves	AK0710	AK0716	AK0712
Recirculating Kit	ZRC-7000B	ZRC-7036B	ZRC-7042B
Wireless Remote Control	14000005	14000005	14000005
Make-Up Air Kit	MUA008A (650 CFM) NA	MUA008A (650 CFM) MUA010A (1,200 CFM)	MUA008A (650 CFM) MUA010A (1,200 CFM)



*650 CFM blower included, 1,200 CFM blower optional.

**CleanAir turns your hood on once every four hours for 10 minutes on speed one.

ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods allowing you to limit the max. CFM to meet local code requirements.

POWER

TEMPEST II



PRO-STYLE WALL

Designed with professional-grade performance and seamless contours, the wall-mount Tempest II gives you serious cooking power, with 650-CFM or 1,200-CFM blower options. Equipped

with dishwasher-safe, high-airflow baffle filters, an optional wireless remote control, 6-speeds, and dual-level halogen lighting, it's everything the demanding cook could ask for.

ACT™

MODEL	AK7500BS Stainless Steel	AK7536BS Stainless Steel	AK7542BS Stainless Steel	AK7548BS Stainless Steel
Size	30"	36"	42"	48"
CFM	650 or 1,200*	650 or 1,200*	650 or 1,200*	650 or 1,200*
ACT™ CFM	390, 290	390, 290	390, 290	390, 290
Sones	1-6 or 3.5-9	1-6 or 3.5-9	1 - 6 or 3.5 - 9	1-6 or 3.5-9
Controls	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	6	6	6	6
Auto Delay-Off	Yes	Yes	Yes	Yes
CleanAir Function	Yes**	Yes**	Yes**	Yes**
Lighting	Halogen	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle	Pro Baffle
Wireless Remote Control	Optional	Optional	Optional	Optional
Recirculating	Yes (650 CFM blower only)	Yes (650 CFM blower only)	Yes (650 CFM blower only)	No
DUCT SPECIFICATIONS				
Vertical - 650 CFM Internal Blower	8"	8"	8"	8"
Vertical - 1,200 CFM Internal Blower	10"	10"	10"	10"
Horizontal - 650 CFM Internal Blower	8" or 3 1/4" x 10"			
Horizontal - 1,200 CFM Internal Blower	10"	10"	10"	10"
OPTIONAL ACCESSORIES				
1,200 CFM Blower Kit	PBD-1200A	PBD-1200A	PBD-1200A	PBD-1200A
12" Duct Cover	AK0720	AK0726	AK0722	AK0728
Back Splash with Shelves	AK0710	AK0716	AK0712	AK0718
Recirculating Kit	ZRC-7000B	ZRC-7036B	ZRC-7042B	NA
Wireless Remote Control	14000005	14000005	14000005	14000005
Make-Up Air Kit	MUA008A (650 CFM) MUA010A (1,200 CFM)			



*650 CFM blower included, 1,200 CFM blower optional.
 **CleanAir turns your hood on once every four hours for 10 minutes on speed one.
 ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods allowing you to limit the max. CFM to meet local code requirements.

POWER


TORNADO MINI

POWER PACK

The Tornado Mini power pack was designed with cost efficiency and versatility in mind. Tornado Mini's small footprint fits under a standard 12" depth cabinet or choose one of our optional adjustable depth stainless steel liners

to accommodate custom hood enclosures from 17-1/2" to 20-1/2" deep. Features include dual level halogen lights, an ultra-quiet blower and a recirculating option for ductless installations.

MODEL	AK8400AS Stainless Steel
Size	20"
CFM	290
Sones	1.3-3.2
Controls	Mechanical Slide
Speed Levels	3
Auto Delay-Off	No
Lighting	Halogen
Dual-Level Lighting	Yes
Filters	Aluminum Mesh
Recirculating	Yes
DUCT SPECIFICATIONS	
Vertical	6"
Horizontal	NA
OPTIONAL ACCESSORIES	
30" Liner (17 1/2" - 20 1/2" Depth)	AK0840AS
36" Liner (17 1/2" - 20 1/2" Depth)	AK0846AS
Recirculating Kit	ZRC-8400A



POWER



TORNADO I

POWER PACK

Tornado I provides muscle and flexibility in a small, barely-visible package beneath your customizable vent hood canopy. This 600-CFM power pack features dual-level halogen lighting,

3-speed blower, a decorative stainless steel filter and an angled housing unit for a better fit with any built-in canopy. An optional stainless steel liner extends and protects your cabinetry.

MODEL	AK8100AS Stainless Steel
Size	27"
CFM	600
Sones	1.4-6
Controls	Mechanical Slide
Speed Levels	3
Auto Delay-Off	No
Lighting	Halogen
Dual-Level Lighting	Yes
Filters	Decorative Mesh
Recirculating	No
DUCT SPECIFICATIONS	
Vertical	6"
Horizontal	NA
OPTIONAL ACCESSORIES	
30" Liner (17 1/2" - 20 1/2" Depth)	AK0800AS
36" Liner (17 1/2" - 20 1/2" Depth)	AK0836AS
Make-Up Air Kit	MUA006A



POWER


TORNADO II

POWER PACK

If you'd like professional-grade punch with all the amenities, Tornado II will be your best-kept secret, with powerful blower combinations and an optional adjustable-depth liner for more flexible installations. A stylish and discreet

wireless remote puts you in control. Dual-level halogen lights illuminate the surface below. Choose the ventilation level that's right for you along with an optional, easy-to-install stainless steel liner to complement your kitchen's style.

MODEL	AK8200AS Stainless Steel
Size	29"
CFM	1,000
Sones	3.5-8
Controls	Electronic Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes*
Lighting	Halogen
Dual-Level Lighting	Yes
Filters	Pro Baffle
Recirculating	No
Wireless Remote Control	Yes
DUCT SPECIFICATIONS	
Vertical	8"
Horizontal	NA
OPTIONAL ACCESSORIES	
36" SS Liner (20 1/2" - 23 1/2" Depth)	AK0806AS
42" SS Liner (20 1/2" - 23 1/2" Depth)	AK0842AS
Make-Up Air Kit	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one.

POWER


TORNADO III

POWER PACK

Tornado III takes the typical power pack up a notch, with multiple blower options to meet the most demanding chef's requirements. 3-speed electronic controls put you in command of either a 290, 600 or 1,000-CFM blower. Dual-level halogen lights illuminate the surface below;

while the stylish wireless remote puts you in command from up to 15 feet away. Choose the ventilation level that's right for you along with an optional stainless steel liner available in 48", 54" and 60" sizes.

MODEL	AK8300ASX Stainless Steel
Size	38"
Internal Blower CFM*	290, CBI-290B
Internal Blower CFM*	600, CBI-600B
Internal Blower CFM*	1,000, PBI-1100A
In-line Blower CFM*	1,000, PBN-1000A
External Blower CFM*	1,000, CBE-1000
Sones	1.4-8
Controls	Electronic Touch
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes**
Lighting	Halogen
Dual-Level Lighting	Yes
Filters	Pro Baffle
Recirculating	No
Wireless Remote Control	Yes
DUCT SPECIFICATIONS	
Vertical Internal	6" or 8"
Vertical In-Line / External	10" to 8"***
OPTIONAL ACCESSORIES	
48" SS Liner (20 1/2" - 23 1/2" Depth)	AK0848AS
54" SS Liner (20 1/2" - 23 1/2" Depth)	AK0854AS
60" SS Liner (20 1/2" - 23 1/2" Depth)	AK0860AS
Make-Up Air Kit	MUA006A (600 CFM) MUA008A (1,000 CFM)



*Blower not included.
**CleanAir turns your hood on once every four hours for 10 minutes on speed one.
*** 10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with external and in-line blowers.

POWER



TWISTER

POWER PACK

We designed this inexpensive power pack as a simple solution that blends in anywhere. The 3-speed Twister hides the ventilation you need

beneath your custom, built-in canopy. An optional liner extends and beautifies the hood and protects your cabinetry.

MODEL	AK8000AS Stainless Steel
Size	27"
CFM	290
Sones	1.3-3.2
Controls	Mechanical Slide
Speed Levels	3
Auto Delay-Off	No
Lighting	Halogen
Dual-Level Lighting	Yes
Filters	Aluminum Mesh
Recirculating	Yes
DUCT SPECIFICATIONS	
Vertical	6"
Horizontal	NA
OPTIONAL ACCESSORIES	
30" Liner (17 1/2" - 20 1/2" Depth)	AK0800AS
36" Liner (17 1/2" - 20 1/2" Depth)	AK0836AS
Recirculating Kit	ZRC-0100



POWER

TWISTER ES



ENERGY STAR
POWER PACK

The Twister ES, certified ENERGY STAR® power pack was designed with cost efficiency in mind for a solution that blends in anywhere. The 3-speed Twister ES hides the ventilation you need beneath your custom, built-in

canopy. An optional stainless steel liner extends the hood and protects your cabinetry. 290-CFM, 3-speeds, ENERGY STAR approved. Includes energy-efficient fluorescent lighting.



MODEL	AK8000AS-ES Stainless Steel
Size	27"
CFM	290
Sones	1.6–3.8
Controls	Mechanical Slide
Speed Levels	3
Auto Delay-Off	No
Lighting	Fluorescent
Dual-Level Lighting	No
Filters	Aluminum Mesh
Recirculating	No
DUCT SPECIFICATIONS	
Vertical	6"
Horizontal	NA
OPTIONAL ACCESSORIES	
30" Liner (17 1/2" - 20 1/2" Depth)	AK0800AS
36" Liner (17 1/2" - 20 1/2" Depth)	AK0836AS



POWER

MONSOON



DCBL
ONE-PIECE LINER

Monsoon DCBL is unique in the marketplace. We started with a 715-CFM DC motor and added stainless steel baffle filters with a removable grease tray for easy cleaning. Then we introduced vertical and horizontal ducting to one-piece liner range hoods. We also equipped

Monsoon DCBL with a wireless remote control, and finally, we added the proprietary DCBL Suppression System® that makes Monsoon DCBL the most quiet and energy efficient one-piece liner available today.



MODEL	AK9428AS Stainless Steel	AK9434AS Stainless Steel	AK9440AS Stainless Steel
Size	28-3/8" (30")	34-3/8" (36")	40-3/8" (42")
CFM	715	715	715
ACT™ CFM	590, 390, 290	590, 390, 290	590, 390, 290
Sones	0.8-5.8	0.8-5.8	0.8-5.8
Controls	Electronic LCD	Electronic LCD	Electronic LCD
Speed Levels	5 + Burst	5 + Burst	5 + Burst
Auto Delay-Off	Yes	Yes	Yes
CleanAir Function	Yes*	Yes*	Yes*
Lighting	Bloom™ HD LED	Bloom™ HD LED	Bloom™ HD LED
Dual-Level Lighting	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle
Recirculating	No	No	No
Wireless Remote Control	Yes	Yes	Yes
DUCT SPECIFICATIONS			
Vertical	8"	8"	8"
Horizontal	8" or 3 1/4" x 10"	8" or 3 1/4" x 10"	8" or 3 1/4" x 10"
OPTIONAL ACCESSORIES			
Make-Up Air Kit	MUA008A	MUA008A	MUA008A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one. DCBL Suppression System® offers 77% less noise, 30% more CFM, and 77% more energy efficiency for the most advanced range hood technology. ACT™ or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

POWER

MONSOON I



ONE-PIECE LINER

Monsoon I has taken the one-piece liner to the next level. Including dual-level halogen lights and an ADA-compliant RF remote you can easily control Monsoon I without ever reaching over a dangerous cooking surface. Equipped

with 6-speed electronic controls, pro baffle filters and either a powerful 600 CFM blower (30" and 36" models) or 1,200 CFM blower (42" and 48" models). ACT™ available on 30" and 36" models.

ACT™

MODEL	AK9228AS Stainless Steel	AK9234AS Stainless Steel	AK9240AS Stainless Steel	AK9246AS Stainless Steel
Size	28-3/8" (30")	34-3/8" (36")	40-3/8" (42")	46-3/8" (48")
CFM	600	600	1,200	1,200
ACT™ CFM	390, 290	390, 290	NA	NA
Sones	1-6	1-6	3.5-9	3.5-9
Controls	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	6	6	6	6
Auto Delay-Off	Yes	Yes	Yes	Yes
CleanAir Function	Yes*	Yes*	Yes*	Yes*
Lighting	Halogen	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle	Pro Baffle
Wireless Remote Control	Yes	Yes	Yes	Yes
Recirculating	No	No	No	No
DUCT SPECIFICATIONS				
Vertical	8"	8"	10"	10"
Horizontal	8" or 3-1/4" x 10"	8" or 3-1/4" x 10"	NA	NA
OPTIONAL ACCESSORIES				
Make-Up Air Kit	MUA006A	MUA006A	MUA010A	MUA010A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one. ACT or Airflow Control Technology™ is an exclusive feature built into specific Zephyr hoods which can limit the max. CFM to meet local code requirements.

POWER



MONSOON II

ONE-PIECE LINER

When you need more power, Monsoon II delivers. Starting with recognized conventional installation dimensions, Monsoon II fits into any custom cabinetry or enclosure. Its stainless

steel baffle filters with removable grease tray make it easy to maintain its pro-style look while the 6-speed electronic controls and wireless remote control gives you more than you expected.

MODEL	AK9334AS Stainless Steel	AK9340AS Stainless Steel	AK9346AS Stainless Steel	AK9352AS Stainless Steel
Size	34-3/8" (36")	40-3/8" (42")	46-3/8" (48")	52-3/8" (54")
CFM	1,200	1,200	1,200	1,200
Sones	3.5-9	3.5-9	3.5-9	3.5-9
Controls	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	6	6	6	6
Auto Delay-Off	Yes	Yes	Yes	Yes
CleanAir Function	Yes*	Yes*	Yes*	Yes*
Lighting	Halogen	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle	Pro Baffle
Wireless Remote Control	Yes	Yes	Yes	Yes
Recirculating	No	No	No	No
DUCT SPECIFICATIONS				
Vertical	10"	10"	10"	10"
Horizontal	NA	NA	NA	NA
OPTIONAL ACCESSORIES				
Make-Up Air Kit	MUA010A	MUA010A	MUA010A	MUA010A



*CleanAir turns your hood on once every four hours for 10 minutes on speed one.

POWER




MONSOON MINI

ONE-PIECE LINER

Good things come in small packages, and in this case it's the Monsoon Mini one-piece liner. Including dual-level halogen lights and 3-speed mechanical slide controls. Also equipped with a

300-CFM blower and the ability to duct either vertically or horizontally.

MODEL	AK9128AS Stainless Steel	AK9134AS Stainless Steel
Size	28-3/8" (30)	34-3/8" (36")
CFM	300	300
Sones	1.5-4	1.5-4
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
CleanAir Function	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	7" or 3-1/4" x 10"	7" or 3-1/4" x 10"
Horizontal	3-1/4" x 10"	3-1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-9100A	ZRC-9100A



POWER



VORTEX

ONE-PIECE LINER

The Vortex one-piece liner leads the way with the industry's only adjustable-depth installation. Vortex is designed to extend up to 3 inches towards the front of the custom hood canopy so you can install it in spaces up to 20-1/2" deep.

Add to this its category-leading 390-CFM, optional recirculation kit and its 36-inch mounting height maximum; Vortex stands tall among the rest.

MODEL	AK9028AS Stainless Steel AK9028AS290 Stainless Steel, 290 CFM	AK9034AS Stainless Steel AK9034AS290 Stainless Steel, 290 CFM
Size	28-3/8" (30")	34-3/8" (36")
CFM	390 or 290	390 or 290
Sones	1.4-5 or 1.3-3.2	1.4-5 or 1.3-3.2
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	Yes	Yes
Adjustable Depth	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA
OPTIONAL ACCESSORIES		
Recirculating Kit	ZRC-9000	ZRC-9000



*dimensions do not include 3/8" wide flange around the liner



POWER

VORTEX ES



ENERGY STAR
ONE-PIECE LINER

The Vortex ES, certified ENERGY STAR® one-piece liner leads the way with the industry's only adjustable-depth installation. Vortex ES


is designed to extend up to 3 inches towards the front of the custom hood canopy so you can install it in spaces up to 20-1/2" deep.



MODEL	AK9028AS-ES Stainless Steel	AK9034AS-ES Stainless Steel
Size	28-3/8" (30")	34-3/8" (36")
CFM	290	290
Sones	1.3-5	1.3-5
Controls	Mechanical Slide	Mechanical Slide
Speed Levels	3	3
Auto Delay-Off	No	No
Lighting	Fluorescent	Fluorescent
Dual-Level Lighting	No	No
Filters	Hybrid Baffle	Hybrid Baffle
Recirculating	No	No
Adjustable Depth	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	6"	6"
Horizontal	NA	NA



*dimensions do not include 3/8" wide flange around the liner



POWER


CYPRESS

OUTDOOR
PRO-STYLE WALL

Cypress features a seamlessly contoured, fully welded and polished exterior, along with a corrosion resistant, 304-grade stainless steel canopy that houses high-performance professional stainless steel baffle filters that enhance airflow and are dishwasher-safe. 3-speed metallic

knob controls withstand extreme heat and moisture. Now with dual-level halogen lighting and an extended 32" depth for even more capture. An optional 304-grade 12" duct cover is also available.

MODEL	AK7836BS Stainless Steel	AK7842BS Stainless Steel	AK7848BS Stainless Steel	AK7854BS Stainless Steel
Size	36"	42"	48"	54"
CFM	1,200	1,200	1,200	1,200
Sones	3.5-9	3.5-9	3.5-9	3.5-9
Controls	Metallic Knob	Metallic Knob	Metallic Knob	Metallic Knob
Speed Levels	3	3	3	3
Auto Delay-Off	No	No	No	No
Lighting	Halogen	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes	Yes
32" Extended Depth	Yes	Yes	Yes	Yes
Filters	Pro Baffle	Pro Baffle	Pro Baffle	Pro Baffle
Recirculating	No	No	No	No
DUCT SPECIFICATIONS				
Vertical Internal	10"	10"	10"	10"
Horizontal Internal	10"	10"	10"	10"
OPTIONAL ACCESSORIES				
Duct Cover (12")	AK0736BS	AK0742BS	AK0748BS	AK0754BS



POWER

WILLOW


OUTDOOR
POWER PACK

Willow's high performance stainless steel baffle filters enhance airflow, while being corrosion-resistant and dishwasher-safe. 2-speed, rocker controls withstand extreme heat and moisture. Optional, easy-to-install 304-grade liners are

available in 36", 42", 54" and 60" widths. Select either 304-grade stainless steel or galvanized steel with gray powder-coat protection.

MODEL	AK8800AS	AK8800AG
	Stainless Steel	Gray
Size	29"	29"
CFM	1,000	1,000
Sones	3.5-8	3.5-8
Controls	Rocker Switch	Rocker Switch
Speed Levels	2	2
Auto Delay-Off	No	No
Lighting	Halogen	Halogen
Dual-Level Lighting	No	No
Filters	Pro Baffle	Pro Baffle
Recirculating	No	No
DUCT SPECIFICATIONS		
Vertical	8"	8"
Horizontal	NA	NA

OPTIONAL ACCESSORIES		
36" 304 SS Liner (20-1/2" -23-1/2" Depth)*	AK0886AS	AK0886AS
36" 304 SS Liner (26-1/2" -29-1/2" Depth)*	AK0886BS	AK0886BS
42" 304 SS Liner (20-1/2" -23-1/2" Depth)*	AK0882AS	AK0882AS
42" 304 SS Liner (26-1/2" -29-1/2" Depth)*	AK0882BS	AK0882BS
48" 304 SS Liner (20-1/2" -23-1/2" Depth)*	AK0888AS	AK0888AS
48" 304 SS Liner (26-1/2" -29-1/2" Depth)*	AK0888BS	AK0888BS
54" 304 SS Liner (20-1/2" -23-1/2" Depth)*	AK0884AS	AK0884AS
54" 304 SS Liner (26-1/2" -29-1/2" Depth)*	AK0884BS	AK0884BS
60" 304 SS Liner (20-1/2" -23-1/2" Depth)*	AK0880AS	AK0880AS
60" 304 SS Liner (26-1/2" -29-1/2" Depth)*	AK0880BS	AK0880BS



*Refer to liner specification sheet for more detailed dimensions.



BREEZE



BREEZE I

UNDER-CABINET

Breeze I's sophisticated features and powerful performance set the standard for value within the industry. 3-speed, 250-CFM blower quietly clear the air, while efficient dishwasher-safe aluminum filters remove airborne residues.

Sleek, integrated controls simplify cleanup and halogen lights let you set a low-key mood when the time is right. Available in stainless steel, black and white.

MODEL	AK1124W White AK1124S Stainless Steel	AK1100B Black AK1100W White AK1100S Stainless Steel	AK1136B Black AK1136W White AK1136S Stainless Steel
Size	24"	30"	36"
CFM	250	250	250
Sones	1.8-3.5	1.8-3.5	1.8-3.5
Controls	Mechanical Slide	Mechanical Slide	Mechanical Slide
Speed Levels	3	3	3
Auto Delay-Off	No	No	No
Lighting	Halogen	Halogen	Halogen
Dual-Level Lighting	Yes	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes	Yes
DUCT SPECIFICATIONS			
Vertical	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES			
Recirculating Kit	0AK11-21001	0AK11-21001	0AK11-21001



BREEZE



BREEZE II

UNDER-CABINET

For superior value in a quiet, high-performance package, Breeze II comes equipped with an upgraded 3-speed, 400-CFM blower, convenient dishwasher-safe aluminum filters and a timed feature to automatically clear the air and power

down after five minutes. Easy-to-use controls simplify cleanup and halogen lights make it a breeze to soften the mood. Available in stainless steel, black and white.

MODEL	AK1200B Black AK1200W White AK1200S Stainless Steel	AK1236B Black AK1236W White AK1236S Stainless Steel
Size	30"	36"
CFM	400	400
Sones	1.9-4.5	1.9-4.5
Controls	Electronic Touch	Electronic Touch
Speed Levels	3	3
Auto Delay-Off	Yes	Yes
Lighting	Halogen	Halogen
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh	Aluminum Mesh
Recirculating	Yes	Yes
DUCT SPECIFICATIONS		
Vertical	3 1/4" x 10"	3 1/4" x 10"
Horizontal	3 1/4" x 10"	3 1/4" x 10"
OPTIONAL ACCESSORIES		
Recirculating Kit	0AK11-21001	0AK11-21001





Say hello: To learn more about making a statement in your home with a Zephyr hood, visit us at zephyronline.com, where you can quickly locate a dealer near you.

Or come visit our one-of-a-kind showroom in the heart of San Francisco's vibrant Design District. Our display area is the largest of its kind in North America and offers you over 6,000 square feet of new ventilation discoveries.

2277 Alameda Street
at Potrero
San Francisco,
California
94103

PRODUCT INDEX

ARC

12	Duo (ADU)	
14	Horizon (AHZ)	
16	Incline (AIN)	
18	Layers (ALA)	
20	Plane (APN)	
22	Surface (ASU)	
24	Wave (AWA)	
26	Duo (ADL)	
28	Layers (ALL)	
30	Lux (ALU)	
32	Surface (ASL)	

WALL

ISLAND

CHENG

36	Okeanito (COK)	
38	Limited Edition Okeanito (COK)	
40	Padova (CPA)	
42	Trapeze (CTP)	
44	Cache (CCA)	

WALL

ISLAND

UNDER-CABINET

ESSENTIALS

68	Anzio (ZAN)	
140	Cypress (AK78)	OUTDOOR
70	Lucé (ZLU)	
52	Milano (ZMI)	DCBL
54	Modena (ZMO)	DCBL
72	Ravenna (ZRV)	
74	Roma (ZRO)	
76	Savona (ZSA)	
78	Siena (ZSI)	
80	Siena ES (ZSI-ES)	ENERGY STAR
82	Siena Pro (ZSP)	PRO-STYLE
114	Tempest II (AK57)	PRO-STYLE
56	Venezia (ZVE)	DCBL
58	Verona (ZVO)	DCBL
84	Anzio (ZAZ)	
86	Lucé (ZLC)	
60	Milano (ZML)	DCBL
62	Modena (ZMD)	DCBL
64	Napoli (ZNA)	DCBL
88	Roma (ZRM)	
90	Siena Pro (ZSL)	PRO-STYLE
66	Verona (ZVN)	DCBL
144	Breeze I (AK11)	
146	Breeze II (AK12)	
104	Cyclone (AK65)	
92	Genova (ZGE)	
110	Gust (AK71)	PRO-STYLE
106	Hurricane (AK25)	
94	Pisa (ZPI)	
96	Pyramid (ZPY)	
98	Tamburo (ZTA)	
112	Tempest I (AK70)	PRO-STYLE
100	Terazzo (ZTE)	
108	Typhoon (AK21)	
102	Sorrento (DD1)	
116	Tornado Mini (AK84)	
118	Tornado I (AK81)	
120	Tornado II (AK82)	
122	Tornado III (AK83)	
124	Twister (AK80)	
126	Twister ES (AK80-ES)	ENERGY STAR
142	Willow (AK88)	OUTDOOR
128	Monsoon (AK94)	DCBL
130	Monsoon I (AK92)	
132	Monsoon II (AK93)	
134	Monsoon Mini (AK91)	
136	Vortex (AK90)	
138	Vortex ES (AK90-ES)	ENERGY STAR

WALL

ISLAND

UNDER-CABINET

DOWNDRAFT

POWER PACK

ONE-PIECE LINER

ZEPHYR

SHOWROOM
2277 Alameda Street
San Francisco, CA 94103

ZEPHYR VENTILATION
2277 Harbor Bay Parkway
Alameda, CA 94502

1.888.880.VENT
ZEPHYRONLINE.COM

MAR16.0101