FRIGIDAIRE.

FFTA1233U1

Frigidaire 12,000 BTU Built-In Room Air Conditioner- 115V/60Hz

AVAILABLE COLORS



SIGNATURE FEATURES

Effortless™ Remote Temperature Control

A thermostat located on your air conditioner's remote control precisely maintains preset room temperature, so you will remain comfortable at all times.

Programmable 24-Hour On/Off

Customize times to fit your schedule for immediate comfort when you get home. The built in timer allows you to preset the unit to turn on and off in half hour increments.

Energy Saver Mode

Energy Saver Mode can help reduce your utility bills, while still keeping guests cool, by maximizing energy efficiency. In this mode, the unit doesn't run at all times, it turns on and off at different intervals to ensure that the room temperature stays at the set temperature.

Multi-Speed Fan

Features three different fan speeds, for more cooling flexibility.

PRODUCT DIMENSIONS

Height	14-1/2"
Width	24"
Depth	20-5/8"

MORE EASY-TO-USE FEATURES

Sleep Mode

Maximum comfort throughout the evening hours with the added benefit of energy savings. With Sleep Mode, the temperature gradually increases a few degrees over the evening.

Remote Control

Allows you to precisely control the temperature and fan speed from across the room.

Effortless™ Clean Filter

Our antibacterial filter reduces bacteria, room odors and other airborne particles for a healthier, more comfortable environment.

Power Cord

Comes with an extra long threeprong cord — makes extension cords unnecessary.

Effortless™ Restart

Automatically resumes operating at its previous settings when power is restored to your unit.

Clean Filter Alert

Alert notifies you when your filter needs to be cleaned so you don't have to keep track of it yourself.

Ready-Select® Controls

Easily select options with the touch of a button.

CERTIFICATIONS

ENERGY STAR®



frigidaire.com/frigidaire.ca

FRIGIDAIRE.

FFTA1233U1

Frigidaire 12,000 BTU Built-In Room Air Conditioner-115V/60Hz

General Specifications

Warranty	1 Year Full/5 Year Sealed System
Shipping Weight (lbs)	99
Max Wall Thickness	18"
Product Weight (lbs)	84
Refrigerant	R410a
PROP 65 Label	Yes
Power Type	Electric
Size	N/A
Installation Type	Built-In
Collection	Frigidaire
Dimensions: Cut-Out	
Height	15-5/8"
Width	25-15/16"
Width (Sleeve)	25-15/16"
Height (Sleeve)	15-5/8"
Accessories	
Included Accessory	Universal Trim Kit
Unique Accessory Available	Sleeve Kit EA108T / Outside Grille EA109T

AC

Filter Access	Slide-Out
Fan Speed - Fan - General	3
Cabinet Louvers	No
Window Mounting Kit	No
Clean Air Ionizer	No
Remote Control	Full Function / Remote Thermostat
Noise Level dB (High)	61
Low Voltage Start-up	Yes
Noise Level dB (Med)	58
Fan Auto	Yes
Fan Speeds - Cool	3
Air CFM (High)	300
Air CFM (Med)	277
Motor RPM (High)	1520
Motor RPM (Low)	1320
Air CFM (Low)	253
Exhaust Vent	No
Vents Closed	Yes
Slide-Out Chassis	No
Energy Saver	Yes
Noise Level dB (Low)	57
24-Hour On/Off Timer	Yes
Filter Type	Anti-Bacterial Mesh
Filter Type Air Direction Control	
	Mesh
Air Direction Control	Mesh 6-Way
Air Direction Control Fresh Air	Mesh 6-Way No
Air Direction Control Fresh Air Filter Check	Mesh 6-Way No Yes
Air Direction Control Fresh Air Filter Check Charge - ozs	Mesh 6-Way No Yes 23.2
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med)	Mesh 6-Way No Yes 23.2
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) lectrical Specifications	Mesh 6-Way No Yes 23.2 1420
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Electrical Specifications Plug Type Amps (Cool)	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Electrical Specifications Plug Type Amps (Cool) Power Cord Length	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6')
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool)	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Electrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating General Specifications	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating Internal Specifications BrandFamilyFrigidaire	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz Yes
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Electrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating Electrical Specifications BrandFamilyFrigidaire ProductLaunch	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz Yes
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating Jeneral Specifications BrandFamilyFrigidaire ProductLaunch Jertifications & Approvals	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz Yes NA
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating General Specifications BrandFamilyFrigidaire ProductLaunch Certifications & Approvals ENERGY STAR® Certified	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz Yes NA
Air Direction Control Fresh Air Filter Check Charge - ozs Motor RPM (Med) Ilectrical Specifications Plug Type Amps (Cool) Power Cord Length Watts (Cool) Voltage Rating General Specifications BrandFamilyFrigidaire ProductLaunch Certifications & Approvals ENERGY STAR® Certified Safety Certification	Mesh 6-Way No Yes 23.2 1420 LCDI 5-15P 10 5-1/2'(6') 1140 115V 60Hz Yes NA Yes UL/CUL

Dimensions: Exterior	
Depth	20-5/8"
Height	14-1/2"
Width	24"
Controls	
Control Location	Center panel
Sleep Mode	Yes
Control Type	Electronic

Performance

Cool Area (Sq. Ft.)	550
Energy Efficiency Ratio	10.5
Dehumidification - Pints/Hr	3.38
Performance Certification	АНАМ
BTU (Cool)	12000



Notes For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com/frigidaire.ca

FRIGIDAIRE.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • **frigidaire.com CANADA** • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • **frigidaire.ca**

FFTA1233U1 ©2017 Electrolux Home Products, Inc.