a ASKO



Steel Seal™ Washing machine

W4114CT

Logic

Loading capacity: 11 kg

1400 rpm

Number of programs: 22 Installation: Freestanding



Programs

- Programmes: Wool/hand wash, Mix/synthetic, Quick, Time program, Easy
- Care, Jeans, Everyday wash, Standard cotton, Heavy
 Special washing programs: Allergy program Cotton, Auto, Hygiene, Allergy program Synthetics, Shirts, Dark wash, Quick Pro, Bedding, Steam refresh
 Special functions: Spin, Drain, Rinse, Drum cleaning
- Modes: Intensive mode Improved cleaning with more water and energy. Temperature is kept at high level for longer, Speed mode - More water and energy used to ensure a clean laundry in shorter time, Allergy mode - Adds extra water and program time to ensure a well rinsed load, Green - Saves water and energy. Program time slightly longer, Normal - No changes to the program

Additional options

- Temperature range: Cold 90 °C • Spin speed setting: Adjustable
- Max spin speed: 1400 rpm
- Delayed start: 30 min to 24 hours
- · Settings: Prewash, No spin, Temperature setting, High water level, Super rinse, Delayed Start

Construction and performance

- Door sealing: Steel Seal[™] Hygienic sealing without rubber bellow
- Quattro Construction™ vibration-free spinning: Yes
- Outer drum: Stainless Steel
- Inner drum: Stainless Steel
- Counter weight material: Cast iron
- Counterweight: 20.1 kg
- Active Drum[™] Ensure a gentle yet effective washing cycle: Yes
- Max +/- 1 °C temperature variation: Yes
- Drum volume: 2.8 Cubic ft
- · Door hinge placement: Left
- Door opening diameter: 310 mm
- Door maximum opening angle: 110 ° • Motor: Long life and quiet brushless motor

Use and flexibility

- Easy Close door: Yes
- Door lock: Electronic
- Stop flap for Liquid detergent: Yes
- · Automatic detergent drawer cleaning: No
- Load Light[™] Illumination of the drum: No
- Dose assist: Yes
- Wifi: No

Interaction and control

- Remaining time indicator: Yes
- Type of display: LCD display
- Transparent door cover/Double glass door: Transparent door cover
- Number of programs: 22



• Create own program: Yes

Language settings: Chinese simpified, Chinese traditional, Swedish, Slovenian, Slovak, Russian, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech

Design and integration

• Main colour of product: Metallic grey

• ASKO dryer and washer can be easily stacked.: Yes

Loading type: Front loadAdjustable feet: 10 mm

Safety and maintenance

• Maximized water inlet time: Yes

• Extra durable and leakage safe PEX inlet hose: Yes

Drain system: Anti Block™ - Self-cleaning drain pump

Overflow protection: Yes

• Emergency door opening function: Yes

• Child lock on display: Yes

• Unbalance detection - Protects the washer against harmful vibrations: Yes

• Draining capacity: 20 l/min

• Overheat protection: For motor and electronics

Technical data

• Loading capacity: 11 kg

Plug type: USA

Connected load: 2200 WVoltage (V): 208-240 VNumber of phases: 1

• Fuse: 15 A

Frequency: 60 HzHeater power: 2000 WNet weight: 91 kg

Noise level during spin dB(A): 74

Noise level during spiri db(A): 74
Noise level during washing dB(A): 52

• Estimated annual water consumption: 9380 I

• Water connection: Cold water

• ISO 14001 certified manufacturing: Yes

Dimensions

Width: 595 mmHeight: 850 mmDepth: 700 mm

Depth with door open: 1057 mmLength of electrical cord: 2000 mm


Length inlet hose: 150 cmLength outlet hose: 160 cm


Logistic information

Packaging width: 640 mm
Packaging height: 920 mm
Packaging depth: 776 mm
Gross weight: 94.4 kg
Weight of packaging: 3.4 kg

Product code: 578207EAN code: 3838782013416

ASKO





Whitehine Machine MAIA 958 ICA ICald up